01.06.2020	Kit Components
Product code	Description
1307-200407	ergo 1307
Components:	
1305-200407	ergo 1305 - Component A ergo 1307
1306-200407	ergo 1306 - Component B ergo 1307





Printing date 01.06.2020 Version number 2 Revision: 01.06.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: ergo 1305 Component A ergo 1307
- 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- Application of the substance / the mixture

Adhesives

Resin

- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Kisling AG

Motorenstrasse 102

CH-8620 Wetzikon

Tel: +41-58-272 0 272

- Further information obtainable from: ergo@kisling.com
- Department issuing MSDS: ergo@kisling.com
- 1.4 Emergency telephone number:

Tox Info Suisse: 145 / +41-44-2 51 51 51

+49-700-24 112 112 (KAR)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Repr. 2 H361d Suspected of damaging the unborn child.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms









GHS05

GHS07

GHS08 GHS09

- Signal word Danger
- Hazard-determining components of labelling:

2-phenoxyethyl methacrylate

 α,α -dimethylbenzyl hydroperoxide

2-hydroxyethyl methacrylate

methacrylic acid, monoester with propane-1,2-diol

- Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H361d Suspected of damaging the unborn child.

H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 2)

Printing date 01.06.2020 Version number 2 Revision: 01.06.2020

Trade name: ergo 1305 - Component A ergo 1307

(Contd. of page 1)

- Precautionary statements

P261 Avoid breathing vapours.

P280 Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P310 Immediately call a POISON CENTER/doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

- Labelling of packages where the contents do not exceed 125 ml

- Hazard pictograms









GHS09

GHS05 GHS07

- Signal word Danger

- Hazard-determining components of labelling:

2-phenoxyethyl methacrylate

 α, α -dimethylbenzyl hydroperoxide

2-hydroxyethyl methacrylate

methacrylic acid, monoester with propane-1,2-diol

- Hazard statements

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H361d Suspected of damaging the unborn child.

- Precautionary statements

P261 Avoid breathing vapours.

P280 Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P310 Immediately call a POISON CENTER/doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

- 2.3 Other hazards

- Results of PBT and vPvB assessment

- **PBT:** Not applicable.

- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures

- **Description:** Adhesive

- Dangerous components:		
CAS: 10595-06-9 EINECS: 234-201-1 Reg.nr.: 01-2120752383-55-xxxx	2-phenoxyethyl methacrylate Repr. 2, H361d; Aquatic Chronic 2, H411; Skin Sens. 1A, H317	> 30 - ≤ 50%
CAS: 868-77-9 EINECS: 212-782-2 Index number: 607-124-00-X Reg.nr.: 01-2119490169-29-xxxx	2-hydroxyethyl methacrylate Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	> 15 - ≤ 30%
CAS: 27813-02-1 EINECS: 248-666-3 Index number: 607-125-00-5	methacrylic acid, monoester with propane-1,2-diol Eye Irrit. 2, H319; Skin Sens. 1, H317	≥ 10 - ≤ 15%

(Contd. on page 3)

Printing date 01.06.2020 Version number 2 Revision: 01.06.2020

Trade name: ergo 1305 - Component A ergo 1307

		(Contd. of page 2)
CAS: 41637-38-1	Ethoxylated Bisphenol-A Dimethacrylate	> 5 - ≤ 15%
EC number: 609-946-4	Aquatic Chronic 4, H413	
CAS: 80-15-9	α,α -dimethylbenzyl hydroperoxide	≥ 3 - ≤ 5%
EINECS: 201-254-7	Org. Perox. E, H242; Acute Tox. 3, H331; STOT RE 2,	
Index number: 617-002-00-8	H373; Skin Corr. 1B, H314; Aquatic Chronic 2, H411;	
	Acute Tox. 4, H302; Acute Tox. 4, H312; STOT SE 3,	
	H335; Flam. Liq. 4, H227	
CAS: 150-76-5	mequinol	≥ 0.1 - < 1%
EINECS: 205-769-8	Repr. 2, H361d; Acute Tox. 4, H302; Eye Irrit. 2,	
Index number: 604-044-00-7	H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412	
CAS: 79-41-4	methacrylic acid	< 1%
EINECS: 201-204-4	Acute Tox. 3, H311; Skin Corr. 1A, H314; Eye Dam. 1,	
Index number: 607-088-00-5	H318; Acute Tox. 4, H302; Acute Tox. 4, H332; STOT	
Reg.nr.: 01-2119463884-26-xxxx	SE 3, H335; Flam. Liq. 4, H227	
CAS: 123-31-9	1,4-dihydroxybenzene	≥ 0.025 - < 0.1%
EINECS: 204-617-8	Muta. 2, H341; Carc. 2, H351; Eye Dam. 1, H318;	
Index number: 604-005-00-4	Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Sens.	
	1, H317	

⁻ Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact:

After contact with skin, wash immediately with plenty of soap and water.

If skin irritation continues, consult a doctor.

- After eye contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

- After swallowing:

Rinse out mouth and then drink plenty of water.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

- Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

CHCEN

Printing date 01.06.2020 Version number 2 Revision: 01.06.2020

Trade name: ergo 1305 - Component A ergo 1307

(Contd. of page 3)

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Use respiratory protective device against the effects of fumes/dust/aerosol.

- 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow product to reach sewage system or any water course.

- 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 10 for information on "stability and reactivity".

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

- Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

-7.2 Conditions for safe storage, including any incompatibilities

- Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- Storage class (TRGS 510, Storage of hazardous substances in non-stationary containers): 10-13
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.

- 8.1 Control parameters

on control parameters			
- Ingredients with limit values that require monitoring at the workplace:			
79-41-4 methacryli	ic acid		
MAK (Switzerland)	Short-term value: 360 mg/m³, 100 ppm		
	Long-term value: 180 mg/m³, 50 ppm		
	SSc;		
123-31-9 1,4-dihyd	123-31-9 1,4-dihydroxybenzene		
MAK (Switzerland)	Short-term value: 2 e mg/m ³		
Long-term value: 2 e mg/m ³			
	H S C2 M2;		
- DNELs			
27813-02-1 methacrylic acid, monoester with propane-1,2-diol			
Dermal Longterm System 4.2 mg/kg bw/day (General population)			
123-31-9 1,4-dihydroxybenzene			
Dermal Longtern	m System 64 mg/kg bw/day (General population)		

(Contd. on page 5)

Printing date 01.06.2020 Version number 2 Revision: 01.06.2020

Trade name: ergo 1305 - Component A ergo 1307

		(Contd. of page	4)
		128 mg/kg bw/day (Worker)	
Inhal	ative Longterm Local	0.5 mg/m³ (General population)	
		1 mg/m³ (Worker)	
İ	Longterm System	1.74 mg/m³ (General population)	
		7 mg/m³ (Worker)	
- PNE	Cs		
2781	3-02-1 methacrylic acid	l, monoester with propane-1,2-diol	
Oral	PNEC oral	mg/kg Food (General population)	
		Kein Bioaccumulationspotenzial	
	PNEC Freshwater	0.904 mg/l (General population)	
	PNEC Freshwater sed	6.28 mg/kg (General population)	
	PNEC Marinewater	0.904 mg/l (General population)	
	PNEC Soil	0.727 mg/kg (General population)	
	PNEC STP	10 mg/l (General population)	
	PNEC Marinewater sed	6.28 mg/kg (General population)	
123-3	31-9 1,4-dihydroxybenz	ene	
	PNEC Freshwater	0.114 mg/l	
	PNEC Freshwater sed	0.00098 mg/kg	
	PNEC Marinewater	0.0114 mg/l	
	PNEC Soil	0.000129 mg/kg	
	PNEC STP	0.71 mg/l	
	PNEC Marinewater sed	0.000097 mg/kg	

- CAS No. Designation of material % Type Value Unit

- Additional Occupational Exposure Limit Values for possible hazards during processing: 144-62-7 oxalic acid MAK (Switzerland) Long-term value: 1 e mg/m³

- Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A/P2

- Protection of hands:

Protective gloves (EN 374)

Check protective gloves prior to each use for their proper condition.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the (Contd. on page 6)

Printing date 01.06.2020 Version number 2 Revision: 01.06.2020

Trade name: ergo 1305 - Component A ergo 1307

(Contd. of page 5)

application.

- Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:** Tightly sealed goggles

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and c	hemical properties
- General Information	
- Appearance:	
Form:	Fluid
Colour:	Transparent
- Odour:	Characteristic
- Odour threshold:	Not determined.
- pH-value:	Not determined.
- Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	: Undetermined.
- Flash point:	> 100 °C
- Flammability (solid, gas):	Not applicable.
- Decomposition temperature:	Not determined.
- Auto-ignition temperature:	Product is not self-igniting.
- Explosive properties:	Product does not present an explosion hazard.
- Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
- Oxidising properties	Not determined.
- Vapour pressure:	Not determined.
- Density at 20 °C:	1.06 g/cm ³
- Relative density	Not determined.
- Vapour density	Not determined.
- Evaporation rate	Not determined.
- Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
- Partition coefficient: n-octanol/water:	Not determined.
- Viscosity:	
Dynamic at 25 °C:	6 000 - 8 500 mPas (Brookfield (4/20))
Kinematic:	Not determined.
- 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- 10.3 Possibility of hazardous reactions Exothermic polymerisation.
- 10.4 Conditions to avoid No further relevant information available.

(Contd. on page 7)

Printing date 01.06.2020 Version number 2 Revision: 01.06.2020

Trade name: ergo 1305 - Component A ergo 1307

(Contd. of page 6)

- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

No dangerous products of decomposition if used and stored according to specifications.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

- LD/LC50	- LD/LC50 values relevant for classification:			
10595-06-	10595-06-9 2-phenoxyethyl methacrylate			
Oral	LD50	5,050 mg/kg (Rat, male/female)		
868-77-9	2-hydroxy	ethyl methacrylate		
Oral	LD50	5,050 mg/kg (Rat, male/female)		
Dermal	LD50	3,000 mg/kg (Rabbit)		
80-15-9 α,	α -dimeth	ylbenzyl hydroperoxide		
Oral	LD50	382 mg/kg (Rat, male/female)		
Dermal	LD50	500 mg/kg (Rat, male/female)		
Inhalative	Inhalative LC50/4 h 220 mg/l (Rat, male/female)			
79-41-4 m	ethacrylic	acid		
Oral	LD50	1,320 - 2,260 mg/kg (Rat, male/female)		
Dermal	LD50	500 - 1,000 mg/kg (Rabbit)		
Inhalative	LC50/4 h	7,100 mg/l (Rat, male/female)		
123-31-9	123-31-9 1,4-dihydroxybenzene			
Oral	LD50	375 mg/kg (Rat, male/female) (OECD 401)		
Dermal	LD50	> 2,000 mg/kg (Rabbit) (OECD 402)		

- Primary irritant effect:
- Skin corrosion/irritation

Causes skin irritation.

- Serious eye damage/irritation

Causes serious eye damage.

- Respiratory or skin sensitisation

May cause an allergic skin reaction.

- Additional toxicological information:

No experimentally found toxicological data are available for this preparation.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Repr. 2
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity

Suspected of damaging the unborn child.

- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.

(Contd. on page 8)

Printing date 01.06.2020 Version number 2 Revision: 01.06.2020

Trade name: ergo 1305 - Component A ergo 1307

(Contd. of page 7)

- Toxicity to fish:

868-77-9 2-hydroxyethyl methacrylate

LC50/96 h 213 - 242 mg/l (Pimephales promelas)

123-31-9 1,4-dihydroxybenzene

LC50/96 h 0.638 mg/l (Oncorhynchus mykiss)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- Remark: Harmful to fish
- Additional ecological information:
- General notes:

Harmful to aquatic organisms

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Danger to drinking water if even small quantities leak into the ground.

Do not allow product to reach ground water, water course or undiluted sewage system.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation Disposal must be made according to official regulations.
- Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- 14.1 UN-Number - ADR, IMDG, IATA	UN3082
- 14.2 UN proper shipping name	2002 ENVIRONMENTALLY HAZARROUS
- ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-phenoxyethyl
D CO	methacrylate)
- IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-phenoxyethyl methacrylate, cumene
TATA	hydroperoxide), MARINE POLLUTANT
- IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-phenoxyethyl methacrylate)

- 14.3 Transport hazard class(es)

- ADR



- Class 9 (M6) Miscellaneous dangerous substances and articles.

(Contd. on page 9)

Printing date 01.06.2020 Version number 2 Revision: 01.06.2020

Trade name: ergo 1305 - Component A ergo 1307

	(0, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,
· · · ·	(Contd. of page 8
- Label 	9
- IMDG, IATA	
- Class	9 Miscellaneous dangerous substances and articles.
- Label	9
- 14.4 Packing group - ADR, IMDG, IATA	Ш
- 14.5 Environmental hazards:	
- Marine pollutant:	Symbol (fish and tree)
- Special marking (ADR):	Symbol (fish and tree)
- Special marking (IATA):	Symbol (fish and tree)
- 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
- Hazard identification number (Kemler code):	90
- EMS Number:	F-A,S-F
- Stowage Category	A
- 14.7 Transport in bulk according to Annex II o Marpol and the IBC Code	f Not applicable.
- Transport/Additional information:	ADR: SV375 IMDG-Code: 2.10.2.7 IATA-DGR: A197 (375)
- ADR	
- Limited quantities (LQ)	5L
- Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
- Transport category	3
- Tunnel restriction code	-
- Remarks:	SV375:
	Diese Stoffe unterliegen, wenn sie in Einzelverpackunger
	oder zusammengesetzten Verpackungen mit einer
	Nettomenge von höchstens 5 1 flüssiger Stoffe oder einer
	Nettomasse von höchstens 5 kg fester Stoffe je Einzel-
	oder Innenverpackung befördert werden, nicht der
	übrigen Vorschriften des ADR/RID, vorausgesetzt, die
	Verpackungen entsprechen den allgemeinen Vorschrifter der Unterabschnitte 4.1.1.1, 4.1.1.2 und 4.1.1.4 bis
	4.1.1.8.
TMDC	
- IMDG - Limited quantities (LQ)	5L
- Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
- Remarks:	2.10.2.7:
	Meeresschadstoffe in Einzelverpackungen oder
	zusammengesetzten Verpackungen mit einer Nettomenge
	je Einzel- oder Innenverpackung von höchstens 5 L bei
	Flüssigkeiten oder einer Nettomasse je Einzel- oder Innenverpackung von höchstens 5 kg bei festen Stoffen
	inhenverpackung von nochstens 5 kg der testen stoffen

Printing date 01.06.2020 Version number 2 Revision: 01.06.2020

Trade name: ergo 1305 - Component A ergo 1307

	(Contd. of page 9
-	unterliegen keinen anderen auf Meeresschadstoff anwendbaren Vorschriften dieses Codes, sofern di Verpackungen die allgemeinen Vorschriften in 4.1.1.1 4.1.1.2 und 4.1.1.4 bis 4.1.1.8 erfüllen. Im Falle vor Meeresschadstoffen, die auch die Kriterien für di Aufnahme in eine andere Klasse erfüllen, finden all Vorschriften dieses Codes, die für etwaige weiter Gefahren gelten, weiterhin Anwendung.
- IATA - Remarks:	A 197 (375): These substances when transported in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass of 5 kg or less for solids, are not subject to any other provisions of these Regulations provided the packagings meet the general provisions of 5.0.2.4.1 5.0.2.6.1.1 and 5.0.2.8.
- UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOU: SUBSTANCE, LIQUID, N.O.S. (2-PHENOXYETHYI METHACRYLATE), 9, III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- National regulations:
- Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases

- H227 Combustible liquid.
- H242 Heating may cause a fire.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H341 Suspected of causing genetic defects.
- H351 Suspected of causing cancer.
- H361d Suspected of damaging the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 11)

Printing date 01.06.2020 Version number 2 Revision: 01.06.2020

Trade name: ergo 1305 - Component A ergo 1307

(Contd. of page 10)

H412 Harmful to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 4: Flammable liquids - Category 4

Org. Perox. E: Organic peroxides – Type E/F

Acute Tox. 4: Acute toxicity - oral – Category 4

Acute Tox. 3: Acute toxicity - inhalation – Category 3

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Muta. 2: Germ cell mutagenicity – Category 2

Carc. 2: Carcinogenicity – Category 2

Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4

- * Data compared to the previous version altered.

CHGEN





Printing date 01.06.2020 Version number 2 Revision: 01.06.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: ergo 1306 Component B ergo 1307
- 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- Application of the substance / the mixture

Adhesives

Hardening agent / Curing agent

- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Kisling AG

Motorenstrasse 102

CH-8620 Wetzikon

Tel: +41-58-272 0 272

- Further information obtainable from: ergo@kisling.com
- Department issuing MSDS: ergo@kisling.com
- 1.4 Emergency telephone number:

Tox Info Suisse: 145 / +41-44-2 51 51 51

+49-700-24 112 112 (KAR)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Repr. 2 H361d Suspected of damaging the unborn child.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms









GHS05 G

GHS07

GHS08

GHS09

- Signal word Danger

- Hazard-determining components of labelling:

2-phenoxyethyl methacrylate

2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, reaction products with phosphorus oxide

2-hydroxyethyl methacrylate

methacrylic acid, monoester with propane-1,2-diol

- Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H361d Suspected of damaging the unborn child.

H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 2)

Printing date 01.06.2020 Version number 2 Revision: 01.06.2020

Trade name: ergo 1306 - Component B ergo 1307

(Contd. of page 1)

- Precautionary statements

P261 Avoid breathing vapours.

P280 Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P310 Immediately call a POISON CENTER/doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

- Labelling of packages where the contents do not exceed 125 ml

- Hazard pictograms









GHS05 GHS07

- Signal word Danger

- Hazard-determining components of labelling:

2-phenoxyethyl methacrylate

2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, reaction products with phosphorus oxide

2-hydroxyethyl methacrylate

methacrylic acid, monoester with propane-1,2-diol

- Hazard statements

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H361d Suspected of damaging the unborn child.

- Precautionary statements

P261 Avoid breathing vapours.

P280 Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P310 Immediately call a POISON CENTER/doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

- 2.3 Other hazards

- Results of PBT and vPvB assessment

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures

- **Description:** Adhesive

- Dangerous components:		
CAS: 10595-06-9 EINECS: 234-201-1	2-phenoxyethyl methacrylate Repr. 2, H361d; Aquatic Chronic 2, H411; Skin Sens. 1A,	> 30 - ≤ 50%
Reg.nr.: 01-2120752383-55-xxxx		
CAS: 868-77-9	2-hydroxyethyl methacrylate	> 15 - ≤ 30%
EINECS: 212-782-2	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
Index number: 607-124-00-X		
Reg.nr.: 01-2119490169-29-xxxx		
CAS: 27813-02-1	methacrylic acid, monoester with propane-1,2-diol	> 15 - ≤ 30%
EINECS: 248-666-3	Eye Irrit. 2, H319; Skin Sens. 1, H317	
Index number: 607-125-00-5		
		(Contd. on page 3)

(Contd. on page 3)

Printing date 01.06.2020 Version number 2 Revision: 01.06.2020

Trade name: ergo 1306 - Component B ergo 1307

			(Contd. of page 2)
	CAS: 41637-38-1	Ethoxylated Bisphenol-A Dimethacrylate	> 5 - ≤ 15%
E	EC number: 609-946-4	Aquatic Chronic 4, H413	
	CAS: 1187441-10-6	2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, reaction	≥ 3 - ≤ 5%
E	EC number: 810-703-1	products with phosphorus oxide	
F	Reg.nr.: 01-2120140608-57-xxxx	Eye Dam. 1, H318; Skin Sens. 1B, H317	
	CAS: 150-76-5	mequinol	≥ 0.1 - < 1%
_ I	EINECS: 205-769-8	Repr. 2, H361d; Acute Tox. 4, H302; Eye Irrit. 2, H319;	
l I	ndex number: 604-044-00-7	Skin Sens. 1, H317; Aquatic Chronic 3, H412	
	CAS: 92-84-2	phenothiazine	≥ 0.1 - < 1%
E	EINECS: 202-196-5	STOT RE 2, H373; Acute Tox. 4, H302; Skin Sens. 1,	
		H317; Aquatic Chronic 3, H412	
	CAS: 79-41-4	methacrylic acid	< 1%
E	EINECS: 201-204-4	Acute Tox. 3, H311; Skin Corr. 1A, H314; Eye Dam. 1,	
I .	ndex number: 607-088-00-5	H318; Acute Tox. 4, H302; Acute Tox. 4, H332; STOT SE	
R	Reg.nr.: 01-2119463884-26-xxxx	3, H335; Flam. Liq. 4, H227	

⁻ Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information: Remove any clothing soiled by the product.
- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact:

After contact with skin, wash immediately with plenty of soap and water.

If skin irritation continues, consult a doctor.

- After eye contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

- After swallowing:

Rinse out mouth and then drink plenty of water.

If swallowed, do not induce vomiting: seek medical advice and show this container or label.

- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- -5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

- Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)

Printing date 01.06.2020 Version number 2 Revision: 01.06.2020

Trade name: ergo 1306 - Component B ergo 1307

(Contd. of page 3)

Ensure adequate ventilation

- 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow product to reach sewage system or any water course.

- 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 10 for information on "stability and reactivity".

See Section 13 for disposal information.

SECTION 7: Handling and storage

-7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

- Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- 7.2 Conditions for safe storage, including any incompatibilities

- Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- Storage class (TRGS 510, Storage of hazardous substances in non-stationary containers): 10-13
- -7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.

-8.1 Control parameters

- Ingr	edients with limit value	s that require monitoring at the workplace:
92-8	4-2 phenothiazine	
MAI	(Switzerland) Long-te	rm value: 5 e mg/m³
	H;	
79-4	1-4 methacrylic acid	
MAI	(Switzerland) Short-te	rm value: 360 mg/m³, 100 ppm
		rm value: 180 mg/m³, 50 ppm
	SSc;	
- DNE	ELs	
2781	3-02-1 methacrylic acid	l, monoester with propane-1,2-diol
Dern	nal Longterm System 4.	2 mg/kg bw/day (General population)
- PNE	Cs	
2781	3-02-1 methacrylic acid	l, monoester with propane-1,2-diol
Oral	PNEC oral	mg/kg Food (General population)
		Kein Bioaccumulationspotenzial
	PNEC Freshwater	0.904 mg/l (General population)
	PNEC Freshwater sed	6.28 mg/kg (General population)
	1	(Contd. on page 5)

Printing date 01.06.2020 Version number 2 Revision: 01.06.2020

Trade name: ergo 1306 - Component B ergo 1307

		(Contd. of page 4)
PNEC Marines	vater 0.904 mg/l (Gener	al population)
PNEC Soil	0.727 mg/kg (Gene	eral population)
PNEC STP	10 mg/l (General p	population)
PNEC Marines	vater sed 6.28 mg/kg (Gener	ral population)

- Additional information: The lists valid during the making were used as basis.

- 8.2 Exposure controls

- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A/P2

- Protection of hands:

Protective gloves (EN 374)

Check protective gloves prior to each use for their proper condition.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:** Tightly sealed goggles

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and - General Information	chemical properties
- Appearance:	
Form:	Fluid
Colour:	Dark blue
- Odour:	Characteristic
- Odour threshold:	Not determined.
- pH-value:	Not determined.
- Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling rang	ge: Undetermined.
- Flash point: >100 °C	
- Flammability (solid, gas):	Not applicable.
- Decomposition temperature:	Not determined.

(Contd. on page 6)

Printing date 01.06.2020 Version number 2 Revision: 01.06.2020

Trade name: ergo 1306 - Component B ergo 1307

	(Contd. of page 5
- Auto-ignition temperature:	Product is not self-igniting.
- Explosive properties:	Product does not present an explosion hazard.
- Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
- Oxidising properties	Not determined.
- Vapour pressure:	Not determined.
- Density at 20 °C:	1.06 g/cm³
- Relative density	Not determined.
- Vapour density	Not determined.
- Evaporation rate	Not determined.
- Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
- Partition coefficient: n-octanol/water:	Not determined.
- Viscosity:	
Dynamic at 25 °C:	6 000 - 8 500 mPas (Brookfield (4/25))
Kinematic:	Not determined.
- 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- 10.3 Possibility of hazardous reactions Exothermic polymerisation.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

No dangerous products of decomposition if used and stored according to specifications.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

- LD/LC50	- LD/LC50 values relevant for classification:		
10595-06-	10595-06-9 2-phenoxyethyl methacrylate		
Oral	LD50	5,050 mg/kg (Rat, male/female)	
868-77-9 2	2-hydroxy	ethyl methacrylate	
Oral	LD50	5,050 mg/kg (Rat, male/female)	
Dermal	LD50	3,000 mg/kg (Rabbit)	
79-41-4 m	ethacrylic	acid	
Oral	LD50	1,320 - 2,260 mg/kg (Rat, male/female)	
Dermal	LD50	500 - 1,000 mg/kg (Rabbit)	
Inhalative	LC50/4 h	7,100 mg/l (Rat, male/female)	

- Primary irritant effect:
- Skin corrosion/irritation

Causes skin irritation.

(Contd. on page 7)

Printing date 01.06.2020 Version number 2 Revision: 01.06.2020

Trade name: ergo 1306 - Component B ergo 1307

(Contd. of page 6)

- Serious eye damage/irritation

Causes serious eye damage.

- Respiratory or skin sensitisation

May cause an allergic skin reaction.

- Additional toxicological information:

No experimentally found toxicological data are available for this preparation.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity

Suspected of damaging the unborn child.

- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- Toxicity to fish:

868-77-9 2-hydroxyethyl methacrylate

LC50/96 h 213 - 242 mg/l (Pimephales promelas)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Danger to drinking water if even small quantities leak into the ground.

Do not allow product to reach ground water, water course or undiluted sewage system.

- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation Disposal must be made according to official regulations.
- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport inform	ation
- 14.1 UN-Number - ADR, IMDG, IATA	UN3082
- 14.2 UN proper shipping name - ADR	3082 ENVIRONMENTALLY HAZARDOU SUBSTANCE, LIQUID, N.O.S. (2-phenoxyethy methacrylate)
	(Contd. on page

Printing date 01.06.2020 Version number 2 Revision: 01.06.2020

Trade name: ergo 1306 - Component B ergo 1307

nanc.	(Contd. of page 7)
- IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-phenoxyethyl methacrylate),
	MARINE POLLUTANT
- IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
	LIQUID, N.O.S. (2-phenoxyethyl methacrylate)
- 14.3 Transport hazard class(es)	
- ADR	
\wedge	
Allh \\ \\ \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
9	
- Class	9 (M6) Miscellaneous dangerous substances and articles.
- Class - Label	9
- IMDG, IATA	
- IMDG, IATA	
<u> 72</u>	
- Class - Label	9 Miscellaneous dangerous substances and articles.
	9
- 14.4 Packing group - ADR, IMDG, IATA	ш
<u> </u>	
- 14.5 Environmental hazards:	Product contains environmentally hazardous substances: 2-phenoxyethyl methacrylate
- Marine pollutant:	Symbol (fish and tree)
- Special marking (ADR):	Symbol (fish and tree)
- Special marking (IATA):	Symbol (fish and tree)
- 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and
Hagard identification number (Vender ands).	articles. 90
- Hazard identification number (Kemler code):- EMS Number:	90 F-A,S-F
- Stowage Category	A
- 14.7 Transport in bulk according to Annex II	of
Marpol and the IBC Code	Not applicable.
- Transport/Additional information:	ADR: SV375
	IMDG-Code: 2.10.2.7
	IATA-DGR: A197 (375)
- ADR	
- Limited quantities (LQ)	5L
- Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 30 ml
- Transport category	3
- Tunnel restriction code	-
- Remarks:	SV375: Diese Stoffe unterliegen, wenn sie in Finzelvernackungen
	Diese Stoffe unterliegen, wenn sie in Einzelverpackungen oder zusammengesetzten Verpackungen mit einer
	Nettomenge von höchstens 5 l flüssiger Stoffe oder einer
	Nettomasse von höchstens 5 kg fester Stoffe je Einzel-
	oder Innenverpackung befördert werden, nicht den
	übrigen Vorschriften des ADR/RID, vorausgesetzt, die
	(Contd. on page 9)

Printing date 01.06.2020 Version number 2 Revision: 01.06.2020

Trade name: ergo 1306 - Component B ergo 1307

	(Contd. of page
-	Verpackungen entsprechen den allgemeinen Vorschrifte der Unterabschnitte 4.1.1.1, 4.1.1.2 und 4.1.1.4 bi 4.1.1.8.
- IMDG	
- Limited quantities (LQ)	5L
- Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
- Remarks:	2.10.2.7:
	Meeresschadstoffe in Einzelverpackungen ode zusammengesetzten Verpackungen mit einer Nettomeng je Einzel- oder Innenverpackung von höchstens 5 L be Flüssigkeiten oder einer Nettomasse je Einzel- ode Innenverpackung von höchstens 5 kg bei festen Stoffe unterliegen keinen anderen auf Meeresschadstoff anwendbaren Vorschriften dieses Codes, sofern de Verpackungen die allgemeinen Vorschriften in 4.1.1. 4.1.1.2 und 4.1.1.4 bis 4.1.1.8 erfüllen. Im Falle vor Meeresschadstoffen, die auch die Kriterien für die Aufnahme in eine andere Klasse erfüllen, finden all Vorschriften dieses Codes, die für etwaige weiter Gefahren gelten, weiterhin Anwendung.
- Remarks:	A 197 (375): These substances when transported in single combination packagings containing a net quantity period or inner packaging of 5 L or less for liquids of having a net mass of 5 kg or less for solids, are not subject to any other provisions of these Regulations provided the packagings meet the general provisions of 5.0.2.4.5.5.0.2.6.1.1 and 5.0.2.8.
- UN ''Model Regulation'':	UN 3082 ENVIRONMENTALLY HAZARDOU SUBSTANCE, LIQUID, N.O.S. (2-PHENOXYETHY METHACRYLATE), 9, III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- National regulations:
- Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases

- H227 Combustible liquid.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.

(Contd. on page 10)

Printing date 01.06.2020 Version number 2 Revision: 01.06.2020

Trade name: ergo 1306 - Component B ergo 1307

(Contd. of page 9)

- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H361d Suspected of damaging the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- H413 May cause long lasting harmful effects to aquatic life.

- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 4: Flammable liquids - Category 4

Acute Tox. 4: Acute toxicity - oral - Category 4

Acute Tox. 3: Acute toxicity - dermal - Category 3

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Skin Sens. 1B: Skin sensitisation – Category 1B

Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

 $A quatic\ Chronic\ 2:\ Hazardous\ to\ the\ aquatic\ environment\ -\ long-term\ aquatic\ hazard\ -\ Category\ 2$

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4

- * Data compared to the previous version altered.

CHGEN