18.11.2020	Kit Components
Product code	Description
1315-200407	ergo 1315
Components:	
1313-200407	ergo 1313 - Component A ergo 1315
1314-200407	ergo 1314 - Component B ergo 1315



Page 1/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.11.2020 Version number 3 Revision: 18.11.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier

- Trade name: ergo 1313 - Component A ergo 1315

- 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- Application of the substance / the mixture

Adhesives

Resin

- 1.3 Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

Kisling AG

Motorenstrasse 102

CH-8620 Wetzikon

Tel: +41-58-272 0 272

- Only representative (REACH) and importer (CLP):

Kisling Deutschland GmbH

Salzstraße 15

D-74676 Niedernhall

Tel +49 8171 99982 30

- Further information obtainable from: ergo@kisling.com
- Department issuing MSDS: ergo@kisling.com
- 1.4 Emergency telephone number: +49-700-24 112 112 (KAR)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction. Repr. 2 H361d Suspected of damaging the unborn child.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms









GHS05

GHS07

GHS08

- Signal word Danger

- Hazard-determining components of labelling:

2-phenoxyethyl methacrylate

(2,4,6-trioxo-1,3,5-triazinane-1,3,5-triyl)triethylene triacrylate

2-hydroxyethyl methacrylate

 α,α -dimethylbenzyl hydroperoxide

methacrylic acid, monoester with propane-1,2-diol

mequinol

(Contd. on page 2)

Printing date 18.11.2020 Version number 3 Revision: 18.11.2020

Trade name: ergo 1313 - Component A ergo 1315

(Contd. of page 1)

- Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H361d Suspected of damaging the unborn child.

H411 Toxic to aquatic life with long lasting effects.

- Precautionary statements

P261 Avoid breathing vapours.

P280 Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P310 Immediately call a POISON CENTER/doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

- Labelling of packages where the contents do not exceed 125 ml

- Hazard pictograms









GHS05 GHS07 GHS08 GHS09

- Signal word Danger

- Hazard-determining components of labelling:

2-phenoxyethyl methacrylate

(2,4,6-trioxo-1,3,5-triazinane-1,3,5-triyl)triethylene triacrylate

2-hydroxyethyl methacrylate

α,α -dimethylbenzyl hydroperoxide

methacrylic acid, monoester with propane-1,2-diol

mequinol

- Hazard statements

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H361d Suspected of damaging the unborn child.

- Precautionary statements

P261 Avoid breathing vapours.

P280 Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P310 Immediately call a POISON CENTER/doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

- 2.3 Other hazards

- Results of PBT and vPvB assessment

- PBT: Not applicable.- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures

- Description: Adhesive

- Dangerous components:		
CAS: 10595-06-9	2-phenoxyethyl methacrylate	≥ 25 - ≤ 30%
EINECS: 234-201-1	Repr. 2, H361d; Aquatic Chronic 2, H411; Skin Sens. 1A,	
Reg.nr.: 01-2120752383-55-xxxx	H317	

(Contd. on page 3)

Printing date 18.11.2020 Version number 3 Revision: 18.11.2020

Trade name: ergo 1313 - Component A ergo 1315

		(Contd. of page 2
CAS: 868-77-9	2-hydroxyethyl methacrylate	> 15 - ≤ 30%
EINECS: 212-782-2	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
Index number: 607-124-00-X		
Reg.nr.: 01-2119490169-29-xxxx		
CAS: 27813-02-1	methacrylic acid, monoester with propane-1,2-diol	≥ 10 - ≤ 15%
EINECS: 248-666-3	Eye Irrit. 2, H319; Skin Sens. 1, H317	
Index number: 607-125-00-5		
CAS: 40220-08-4	(2,4,6-trioxo-1,3,5-triazinane-1,3,5-triyl)triethylene	> 5 - ≤ 15%
EINECS: 254-843-6	triacrylate	
	Eye Dam. 1, H318	
CAS: 41637-38-1	Ethoxylated Bisphenol-A Dimethacrylate	> 5 - ≤ 15%
EC number: 609-946-4	Aquatic Chronic 4, H413	
CAS: 80-15-9	α,α -dimethylbenzyl hydroperoxide	≥ 3 - ≤ 5%
EINECS: 201-254-7	Org. Perox. E, H242; Acute Tox. 3, H331; STOT RE 2,	
Index number: 617-002-00-8	H373; Skin Corr. 1B, H314; Aquatic Chronic 2, H411;	
	Acute Tox. 4, H302; Acute Tox. 4, H312; STOT SE 3,	
	H335; Flam. Liq. 4, H227	
CAS: 128-37-0	Butylated hydroxytoluene	≥ 0.25 - ≤ 1%
EINECS: 204-881-4	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 150-76-5	mequinol	≥ 0.1 - < 1%
EINECS: 205-769-8	Repr. 2, H361d; Acute Tox. 4, H302; Eye Irrit. 2, H319;	
Index number: 604-044-00-7	Skin Sens. 1, H317; Aquatic Chronic 3, H412	
CAS: 79-41-4	methacrylic acid	< 1%
EINECS: 201-204-4	Acute Tox. 3, H311; Skin Corr. 1A, H314; Eye Dam. 1,	
Index number: 607-088-00-5	H318; Acute Tox. 4, H302; Acute Tox. 4, H332; STOT SE	
Reg.nr.: 01-2119463884-26-xxxx	3, H335; Flam. Liq. 4, H227	
- Additional information: For the	wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

- 4.1 Description of first aid measures

- General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Immediately remove any clothing soiled by the product.

- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact:

After contact with skin, wash immediately with plenty of soap and water.

If skin irritation continues, consult a doctor.

- After eye contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

- After swallowing:

Rinse out mouth and then drink plenty of water.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

-4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

DEGEN

Printing date 18.11.2020 Version number 3 Revision: 18.11.2020

Trade name: ergo 1313 - Component A ergo 1315

(Contd. of page 3)

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

- Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Use respiratory protective device against the effects of fumes/dust/aerosol.

- 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow product to reach sewage system or any water course.

- 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 10 for information on "stability and reactivity".

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

- Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- -7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- Storage class (TRGS 510, Storage of hazardous substances in non-stationary containers): 10-13
- -7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 5)

Printing date 18.11.2020 Version number 3 Revision: 18.11.2020

Trade name: ergo 1313 - Component A ergo 1315

		(Contd. of page 4)
- Ingredients with limit value	es that require monitoring at the workplace:	
868-77-9 2-hydroxyethyl i	nethacrylate	
MAK (Germany) vgl.Absc	hn.IIb	
80-15-9 α,α -dimethylbenz	yl hydroperoxide	
MAK (Germany) als Damp	of und Aerosol;vgl.Abschn.Xa	
79-41-4 methacrylic acid		
AGW (Germany) Long-ter 2 (I);DF6	m value: 180 mg/m³, 50 ppm G, Y	
- DNELs		
27813-02-1 methacrylic ac	id, monoester with propane-1,2-diol	
Dermal Longterm System	4.2 mg/kg bw/day (General population)	
- PNECs		
27813-02-1 methacrylic ac	id, monoester with propane-1,2-diol	
Oral PNEC oral	mg/kg Food (General population) Kein Bioaccumulationspotenzial	
PNEC Freshwater	0.904 mg/l (General population)	
PNEC Freshwater sed	6.28 mg/kg (General population)	
PNEC Marinewater	0.904 mg/l (General population)	
PNEC Soil	0.727 mg/kg (General population)	
PNEC STP	10 mg/l (General population)	
PNEC Marinewater se	ed 6.28 mg/kg (General population)	

- Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A/P2

- Protection of hands:

Protective gloves (EN 374)

Check protective gloves prior to each use for their proper condition.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

Printing date 18.11.2020 Version number 3 Revision: 18.11.2020

Trade name: ergo 1313 - Component A ergo 1315

- Eve protection: Tightly sealed goggles

(Contd. of page 5)

SECTION 9: Physical and chemical properties

- 9.1 Information on	basic physical	and chemical	l properties

- General Information

- Appearance:

Form: Fluid
Colour: Yellowish
- Odour: Characteristic
- Odour threshold: Not determined.
- pH-value: Not determined.

- Change in condition

Melting point/freezing point: Undetermined. Initial boiling point and boiling range: Undetermined.

- Flash point: $> 100 \, ^{\circ}\text{C}$

- Flammability (solid, gas): Not applicable.

- **Decomposition temperature:** Not determined.

- **Auto-ignition temperature:** Product is not self-igniting.

- **Explosive properties:** Product does not present an explosion hazard.

- Explosion limits:

Lower: Not determined.
Upper: Not determined.
- Oxidising properties Not determined.

Vapour prossure: Not determined.

- Vapour pressure: Not determined.

Density at 20 °C:

 Relative density
 Vapour density

 Evaporation rate
 1.06 g/cm³

 Not determined.

 Not determined.
 Not determined.
 Not determined.

- Solubility in / Miscibility with

water: Not miscible or difficult to mix.

- Partition coefficient: n-octanol/water: Not determined.

- Viscosity:

Dynamic at 25 °C: 5 500 - 7 500 mPas **Kinematic:** Not determined.

- **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- 10.3 Possibility of hazardous reactions Exothermic polymerisation.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 7)

Printing date 18.11.2020 Version number 3 Revision: 18.11.2020

Trade name: ergo 1313 - Component A ergo 1315

(Contd. of page 6)

- 10.6 Hazardous decomposition products:

No dangerous products of decomposition if used and stored according to specifications.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

- LD/LC50	- LD/LC50 values relevant for classification:		
10595-06-	9 2-pheno	xyethyl methacrylate	
Oral	LD50	5,050 mg/kg (Rat, male/female)	
868-77-9 2	2-hydroxy	ethyl methacrylate	
Oral	LD50	5,050 mg/kg (Rat, male/female)	
Dermal	LD50	3,000 mg/kg (Rabbit)	
80-15-9 α,	80-15-9 α,α -dimethylbenzyl hydroperoxide		
Oral	LD50	382 mg/kg (Rat, male/female)	
Dermal	LD50	500 mg/kg (Rat, male/female)	
Inhalative	LC50/4 h	1.37 mg/l (Rat, male/female)	
79-41-4 m	79-41-4 methacrylic acid		
Oral	LD50	1,320 - 2,260 mg/kg (Rat, male/female)	
Dermal	LD50	500 - 1,000 mg/kg (Rabbit)	
Inhalative	LC50/4 h	7,100 mg/l (Rat, male/female)	

- Primary irritant effect:
- Skin corrosion/irritation

Causes skin irritation.

- Serious eye damage/irritation

Causes serious eye damage.

- Respiratory or skin sensitisation

May cause an allergic skin reaction.

 $- \ Additional \ toxicological \ information:$

No experimentally found toxicological data are available for this preparation.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Repr. 2
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity

Suspected of damaging the unborn child.

- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- Toxicity to fish:

868-77-9 2-hydroxyethyl methacrylate

LC50/96 h 213 - 242 mg/l (Pimephales promelas)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

(Contd. on page 8)

Printing date 18.11.2020 Version number 3 Revision: 18.11.2020

Trade name: ergo 1313 - Component A ergo 1315

(Contd. of page 7)

- Ecotoxical effects:
- Remark: Harmful to fish
- Additional ecological information:
- General notes:

Harmful to aquatic organisms

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Danger to drinking water if even small quantities leak into the ground.

Do not allow product to reach ground water, water course or undiluted sewage system.

- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation Disposal must be made according to official regulations.
- Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information - 14.1 UN-Number - ADR, IMDG, IATA UN3082 - 14.2 UN proper shipping name 3082 ENVIRONMENTALLY HAZARDOUS - ADR SUBSTANCE, LIQUID, N.O.S. (2-phenoxyethyl methacrylate) - IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-phenoxyethyl methacrylate, cumene hydroperoxide), MARINE POLLUTANT - IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-phenoxyethyl methacrylate) - 14.3 Transport hazard class(es) - ADR - Class 9 (M6) Miscellaneous dangerous substances and articles. - Label - IMDG, IATA - Class 9 Miscellaneous dangerous substances and articles. - Label - 14.4 Packing group - ADR, IMDG, IATA Ш

(Contd. on page 9)

Version number 3 Printing date 18.11.2020 Revision: 18.11.2020

Trade name: ergo 1313 - Component A ergo 1315

	(Contd. of page
14.5 Environmental hazards:	Product contains environmentally hazardous substances 2-phenoxyethyl methacrylate
Marine pollutant:	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substances an articles.
Hazard identification number (Kemler code):	90
EMS Number: Stowage Category	F-A,S-F A
14.7 Transport in bulk according to Annex II o Marpol and the IBC Code	Not applicable.
Transport/Additional information:	ADR: SV375
	IMDG-Code: 2.10.2.7
	IATA-DGR: A197 (375)
ADR	57
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	-
Remarks:	SV375:
	These substances are not subject to the other provisions of
	ADR / RID if they are transported in individual of
	composite packaging with a net quantity of no more than 1 of liquid substances or a net mass of no more than 5 k
	of solids per individual or inner packaging, provided that
	the packaging is used correspond to the general provision
	of subsections 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
Domonica	Maximum net quantity per outer packaging: 1000 ml
Remarks:	2.10.2.7: Marine pollutants in individual packaging or composit
	packaging with a net quantity per individual or inne
	packaging of no more than 5 L for liquids or a net mass
	per individual or inner packaging of no more than 5 kg fo
	solids are not subject to any other provisions of this Cod
	applicable to marine pollutants, provided that the
	packaging complies with the general Meet the requirements in 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8. I
	the case of marine pollutants that also meet the criteria fo
	inclusion in another class, all provisions of this Code that
	apply to any further hazards continue to apply.
IATA	
Remarks:	A 197 (375):
	These substances when transported in single of
	combination moderacinas containing a not quantity ma
	combination packagings containing a net quantity pe
	single or inner packaging of 5 L or less for liquids of having a net mass of 5 kg or less for solids, are not subject

Printing date 18.11.2020 Version number 3 Revision: 18.11.2020

Trade name: ergo 1313 - Component A ergo 1315

	(Contd. of page 9)
-	to any other provisions of these Regulations provided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.
- UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-PHENOXYETHYL METHACRYLATE), 9, III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Chemical safety assessment
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- National regulations:
- Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

- Reasons for alterations
- Relevant phrases
- H227 Combustible liquid.
- H242 Heating may cause a fire.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H361d Suspected of damaging the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- H413 May cause long lasting harmful effects to aquatic life.

- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

(Contd. on page 11)

Printing date 18.11.2020 Version number 3 Revision: 18.11.2020

Trade name: ergo 1313 - Component A ergo 1315

(Contd. of page 10)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 4: Flammable liquids – Category 4 Org. Perox. E: Organic peroxides – Type E/F Acute Tox. 4: Acute toxicity - oral – Category 4 Acute Tox. 3: Acute toxicity - inhalation – Category 3 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4

- * Data compared to the previous version altered.

DEGEN



Page 1/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.11.2020 Version number 3 Revision: 18.11.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier

- Trade name: ergo 1314 - Component B ergo 1315

- 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- Application of the substance / the mixture

Adhesives

Hardening agent / Curing agent

- 1.3 Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

Kisling AG

Motorenstrasse 102

CH-8620 Wetzikon

Tel: +41-58-272 0 272

- Only representative (REACH) and importer (CLP):

Kisling Deutschland GmbH

Salzstraße 15

D-74676 Niedernhall

Tel +49 8171 99982 30

- Further information obtainable from: ergo@kisling.com
- Department issuing MSDS: ergo@kisling.com
- 1.4 Emergency telephone number: +49-700-24 112 112 (KAR)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Repr. 2 H361d Suspected of damaging the unborn child.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms









GHS05 GI

5 GHS07

GHS08

GHS09

- Signal word Danger

- Hazard-determining components of labelling:

2-phenoxyethyl methacrylate

(2,4,6-trioxo-1,3,5-triazinane-1,3,5-triyl)triethylene triacrylate

2-hydroxyethyl methacrylate

2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, reaction products with phosphorus oxide methacrylic acid, monoester with propane-1,2-diol

(Contd. on page 2)

Printing date 18.11.2020 Version number 3 Revision: 18.11.2020

Trade name: ergo 1314 - Component B ergo 1315

(Contd. of page 1)

- Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H361d Suspected of damaging the unborn child.

H411 Toxic to aquatic life with long lasting effects.

- Precautionary statements

P261 Avoid breathing vapours.

P280 Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P310 Immediately call a POISON CENTER/doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

- Labelling of packages where the contents do not exceed 125 ml

- Hazard pictograms









GHS05 GHS07 GHS08 GHS09

- Signal word Danger

- Hazard-determining components of labelling:

2-phenoxyethyl methacrylate

(2,4,6-trioxo-1,3,5-triazinane-1,3,5-triyl)triethylene triacrylate

2-hydroxyethyl methacrylate

2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, reaction products with phosphorus oxide methacrylic acid, monoester with propane-1,2-diol

- Hazard statements

H318 Causes serious eve damage.

H317 May cause an allergic skin reaction.

H361d Suspected of damaging the unborn child.

- Precautionary statements

P261 Avoid breathing vapours.

P280 Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P310 Immediately call a POISON CENTER/doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

- 2.3 Other hazards

- Results of PBT and vPvB assessment

- **PBT:** Not applicable.

- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures

- **Description:** Adhesive

(Contd. on page 3)

Printing date 18.11.2020 Version number 3 Revision: 18.11.2020

Trade name: ergo 1314 - Component B ergo 1315

		(Contd. of page
- Dangerous components:		
CAS: 10595-06-9 EINECS: 234-201-1 Reg.nr.: 01-2120752383-55-xxxx	2-phenoxyethyl methacrylate Repr. 2, H361d; Aquatic Chronic 2, H411; Skin Sens. 1A, H317	≥ 25 - ≤ 309
CAS: 868-77-9 EINECS: 212-782-2 Index number: 607-124-00-X Reg.nr.: 01-2119490169-29-xxxx	2-hydroxyethyl methacrylate Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	> 15 - ≤ 30°
CAS: 27813-02-1 EINECS: 248-666-3 Index number: 607-125-00-5	methacrylic acid, monoester with propane-1,2-diol Eye Irrit. 2, H319; Skin Sens. 1, H317	≥ 10 - ≤ 15
CAS: 40220-08-4 EINECS: 254-843-6	(2,4,6-trioxo-1,3,5-triazinane-1,3,5-triyl)triethylene triacrylate Eye Dam. 1, H318	> 5 - ≤ 15%
CAS: 41637-38-1 EC number: 609-946-4	Ethoxylated Bisphenol-A Dimethacrylate Aquatic Chronic 4, H413	> 5 - ≤ 15%
CAS: 1187441-10-6 EC number: 810-703-1 Reg.nr.: 01-2120140608-57-xxxx	2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, reaction products with phosphorus oxide Eye Dam. 1, H318; Skin Sens. 1B, H317	≥ 3 - ≤ 5%
CAS: 79-41-4 EINECS: 201-204-4 Index number: 607-088-00-5 Reg.nr.: 01-2119463884-26-xxxx	methacrylic acid Acute Tox. 3, H311; Skin Corr. 1A, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H332; STOT SE 3, H335; Flam. Liq. 4, H227	< 1%
CAS: 103671-44-9 Reg.nr.: 01-2119979579-10-xxxx	N,N-Bis-(2-hydroxyethyl)-para-toluidine, ethoxylated Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412	≥ 0.1 - < 19
CAS: 150-76-5 EINECS: 205-769-8 Index number: 604-044-00-7	mequinol Repr. 2, H361d; Acute Tox. 4, H302; Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412	≥ 0.1 - < 19
CAS: 92-84-2 EINECS: 202-196-5	phenothiazine STOT RE 2, H373; Acute Tox. 4, H302; Skin Sens. 1, H317; Aquatic Chronic 3, H412	≥ 0.1 - < 19

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact:

After contact with skin, wash immediately with plenty of soap and water.

If skin irritation continues, consult a doctor.

- After eye contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

- After swallowing:

Rinse out mouth and then drink plenty of water.

If swallowed, do not induce vomiting: seek medical advice and show this container or label.

- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 4)

Printing date 18.11.2020 Version number 3 Revision: 18.11.2020

Trade name: ergo 1314 - Component B ergo 1315

(Contd. of page 3)

- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

- Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow product to reach sewage system or any water course.

- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 10 for information on "stability and reactivity".

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

- Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- Storage class (TRGS 510, Storage of hazardous substances in non-stationary containers): 10-13
- -7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 5)

Printing date 18.11.2020 Version number 3 Revision: 18.11.2020

Trade name: ergo 1314 - Component B ergo 1315

			(Contd. of page 4)
- Ingre	edients with limit value	s that require monitoring at the workplace:	
868-7	77-9 2-hydroxyethyl me	thacrylate	
MAK	(Germany) vgl.Abschr	ı.IIb	
79-4 1	1-4 methacrylic acid		
AGW	(Germany) Long-term 2 (I);DFG,	value: 180 mg/m³, 50 ppm Y	
92-84	92-84-2 phenothiazine		
MAK	(Germany) vgl.Abschr	I.IIb und Xc	
- DNE	Ls		
2781	3-02-1 methacrylic acid	, monoester with propane-1,2-diol	
Dermal Longterm System 4.2 mg/kg bw/day (General population)			
- PNE	Cs		
2781	3-02-1 methacrylic acid	, monoester with propane-1,2-diol	
Oral	PNEC oral	mg/kg Food (General population) Kein Bioaccumulationspotenzial	
	PNEC Freshwater	0.904 mg/l (General population)	
	PNEC Freshwater sed	6.28 mg/kg (General population)	
	PNEC Marinewater	0.904 mg/l (General population)	
	PNEC Soil	0.727 mg/kg (General population)	
	PNEC STP	10 mg/l (General population)	
	PNEC Marinewater sed	6.28 mg/kg (General population)	

- Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A/P2

- Protection of hands:

Protective gloves (EN 374)

Check protective gloves prior to each use for their proper condition.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

Version number 3 Printing date 18.11.2020 Revision: 18.11.2020

Trade name: ergo 1314 - Component B ergo 1315

- Eve protection: Tightly sealed goggles

(Contd. of page 5)

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties	- 9.1 Information or	n basic physical	and chemical	properties
-------------------------------------------------------------	----------------------	------------------	--------------	------------

- General Information

- Appearance:

Form: Fluid Colour: Green - Odour: Characteristic - Odour threshold: Not determined. Not determined. - pH-value:

- Change in condition

Melting point/freezing point: Undetermined. Initial boiling point and boiling range: Undetermined.

>100 °C - Flash point:

Not applicable. - Flammability (solid, gas):

Not determined. - Decomposition temperature:

- Auto-ignition temperature: Product is not self-igniting.

- Explosive properties: Product does not present an explosion hazard.

- Explosion limits:

Lower: Not determined. Upper: Not determined. - Oxidising properties Not determined. - Vapour pressure: Not determined.

- Density: Not determined. - Relative density Not determined. - Vapour density Not determined. - Evaporation rate Not determined.

- Solubility in / Miscibility with

water: Not miscible or difficult to mix.

- Partition coefficient: n-octanol/water: Not determined.

- Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

- 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- 10.3 Possibility of hazardous reactions Exothermic polymerisation.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 7)

Printing date 18.11.2020 Version number 3 Revision: 18.11.2020

Trade name: ergo 1314 - Component B ergo 1315

(Contd. of page 6)

- 10.6 Hazardous decomposition products:

No dangerous products of decomposition if used and stored according to specifications.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

- LD/LC50	- LD/LC50 values relevant for classification:		
10595-06-	9 2-pheno	xyethyl methacrylate	
Oral	LD50	5,050 mg/kg (Rat, male/female)	
868-77-9 2	2-hydroxy	ethyl methacrylate	
Oral	LD50	5,050 mg/kg (Rat, male/female)	
Dermal	LD50	3,000 mg/kg (Rabbit)	
79-41-4 m	79-41-4 methacrylic acid		
Oral	LD50	1,320 - 2,260 mg/kg (Rat, male/female)	
Dermal	LD50	500 - 1,000 mg/kg (Rabbit)	
Inhalative	LC50/4 h	7,100 mg/l (Rat, male/female)	
103671-44	103671-44-9 N,N-Bis-(2-hydroxyethyl)-para-toluidine, ethoxylated		
Oral	LD50	619 mg/kg	
Dermal	LD50	> 2,000 mg/kg	

- Primary irritant effect:
- Skin corrosion/irritation

Causes skin irritation.

- Serious eye damage/irritation

Causes serious eye damage.

- Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- Additional toxicological information:

No experimentally found toxicological data are available for this preparation.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Repr. 2
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity

Suspected of damaging the unborn child.

- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- Toxicity to fish:

868-77-9 2-hydroxyethyl methacrylate

LC50/96 h 213 - 242 mg/l (Pimephales promelas)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

(Contd. on page 8)

Printing date 18.11.2020 Version number 3 Revision: 18.11.2020

Trade name: ergo 1314 - Component B ergo 1315

(Contd. of page 7)

- Additional ecological information:
- General notes:

Harmful to aquatic organisms

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Danger to drinking water if even small quantities leak into the ground.

Do not allow product to reach ground water, water course or undiluted sewage system.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation Disposal must be made according to official regulations.
- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information - 14.1 UN-Number UN3082 - ADR, IMDG, IATA - 14.2 UN proper shipping name 3082 ENVIRONMENTALLY HAZARDOUS - ADR SUBSTANCE, LIQUID, N.O.S. (2-phenoxyethyl methacrylate) - IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-phenoxyethyl methacrylate), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, - IATA LIQUID, N.O.S. (2-phenoxyethyl methacrylate) - 14.3 Transport hazard class(es) - ADR - Class 9 (M6) Miscellaneous dangerous substances and articles. - Label - IMDG, IATA - Class 9 Miscellaneous dangerous substances and articles. - Label - 14.4 Packing group - ADR, IMDG, IATA Ш - 14.5 Environmental hazards: - Marine pollutant: Symbol (fish and tree) - Special marking (ADR): Symbol (fish and tree)

(Contd. on page 9)

Version number 3 Printing date 18.11.2020 Revision: 18.11.2020

Trade name: ergo 1314 - Component B ergo 1315

	(Contd. of page
- Special marking (IATA):	Symbol (fish and tree)
- 14.6 Special precautions for user - Hazard identification number (Kemler code):	Warning: Miscellaneous dangerous substances an articles. 90 F-A,S-F
- EMS Number: - Stowage Category	г-A,5-г А
- 14.7 Transport in bulk according to Annex II o Marpol and the IBC Code	of Not applicable.
-Transport/Additional information:	ADR: SV375 IMDG-Code: 2.10.2.7 IATA-DGR: A197 (375)
- ADR - Limited quantities (LQ) - Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml
- Transport category - Tunnel restriction code - Remarks:	Maximum net quantity per outer packaging: 1000 ml 3 SV375: These substances are not subject to the other provisions of ADR / RID if they are transported in individual of composite packaging with a net quantity of no more than 1 of liquid substances or a net mass of no more than 5 k of solids per individual or inner packaging, provided that the packaging is used correspond to the general provision
- IMDG - Limited quantities (LQ) - Excepted quantities (EQ)	of subsections 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8. 5L Code: E1 Maximum net quantity per inner packaging: 30 ml
- Remarks:	Maximum net quantity per outer packaging: 1000 ml 2.10.2.7: Marine pollutants in individual packaging or composit packaging with a net quantity per individual or inner packaging of no more than 5 L for liquids or a net mas per individual or inner packaging of no more than 5 kg for solids are not subject to any other provisions of this Codapplicable to marine pollutants, provided that the packaging complies with the general Meet the requirements in 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8. If the case of marine pollutants that also meet the criteria for inclusion in another class, all provisions of this Code that apply to any further hazards continue to apply.
- IATA	

Printing date 18.11.2020 Version number 3 Revision: 18.11.2020

Trade name: ergo 1314 - Component B ergo 1315

	(Contd. of page 9)
- Remarks:	A 197 (375): These substances when transported in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass of 5 kg or less for solids, are not subject to any other provisions of these Regulations provided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.
- UN ''Model Regulation'':	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-PHENOXYETHYL METHACRYLATE), 9, III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Chemical safety assessment
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- National regulations:
- Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

- Reasons for alterations
- Relevant phrases
- H227 Combustible liquid.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H361d Suspected of damaging the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- H413 May cause long lasting harmful effects to aquatic life.

- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

(Contd. on page 11)

Printing date 18.11.2020 Version number 3 Revision: 18.11.2020

Trade name: ergo 1314 - Component B ergo 1315

(Contd. of page 10)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 4: Flammable liquids – Category 4
Acute Tox. 4: Acute toxicity - oral – Category 4
Acute Tox. 3: Acute toxicity - dermal – Category 3
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1A: Skin sensitisation – Category 1A
Skin Sens. 1B: Skin sensitisation – Category 1B
Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4

- * Data compared to the previous version altered.

DEGEN