14.12.2020 Kit Components		
Product code Description		
1925-200801	ergo 1925	
Components:		
1923-200801 ergo 1923 - Component A ergo 1925		
1924-200801	ergo 1924 - Component B ergo 1925	



Page 1/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.12.2020 Version number 1 Revision: 14.12.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: ergo 1923 Component A ergo 1925
- 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- Application of the substance / the mixture Adhesives
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Kisling AG

Motorenstrasse 102

CH-8620 Wetzikon

Tel: +41-58-272 0 272

- Only representative (REACH) and importer (CLP):

Kisling Deutschland GmbH

Salzstraße 15

D-74676 Niedernhall

Tel +49 8171 99982 30

- Further information obtainable from: ergo@kisling.com
- Department issuing MSDS: ergo@kisling.com
- **1.4 Emergency telephone number:** +49-700-24 112 112 (KAR)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Repr. 2 H361d Suspected of damaging the unborn child.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms









GHS05

GHS07

GHS08

GHS09

- Signal word Danger
- Hazard-determining components of labelling:

2-phenoxyethyl methacrylate

 α,α -dimethylbenzyl hydroperoxide

methacrylic acid, monoester with propane-1,2-diol

2-ethylhexyl methacrylate

- Hazard statements

H332 Harmful if inhaled.

H315 Causes skin irritation.

(Contd. on page 2)

Printing date 14.12.2020 Version number 1 Revision: 14.12.2020

Trade name: ergo 1923 - Component A ergo 1925

(Contd. of page 1)

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H361d Suspected of damaging the unborn child.

H411 Toxic to aquatic life with long lasting effects.

- Precautionary statements

Avoid breathing mist/vapours/spray. P261 P273 Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection. P280

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor. P310

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- Additional information:

10-30 percent of the mixture consists of one or more ingredients of unknown acute oral toxicity.

10-30 percent of the mixture consists of one or more ingredients of unknown acute dermal toxicity.

40-60 percent of the mixture consists of one or more components of unknown acute inhalation toxicity.

Contains 10-30 % of components with unknown hazards to the aquatic environment.

- Labelling of packages where the contents do not exceed 125 ml

- Hazard pictograms







GHS08



GHS05

GHS07

GHS09

- Signal word Danger

- Hazard-determining components of labelling:

2-phenoxyethyl methacrylate

α,α -dimethylbenzyl hydroperoxide

methacrylic acid, monoester with propane-1,2-diol

2-ethylhexyl methacrylate

- Hazard statements

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H361d Suspected of damaging the unborn child.

- Precautionary statements

P261 Avoid breathing mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor. P310

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- 2.3 Other hazards

- Results of PBT and vPvB assessment

- **PBT:** Not applicable.

- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures

- **Description:** Adhesive

(Contd. on page 3)

Printing date 14.12.2020 Version number 1 Revision: 14.12.2020

Trade name: ergo 1923 - Component A ergo 1925

		(Contd. of page
- Dangerous components:		
CAS: 10595-06-9 EINECS: 234-201-1 Reg.nr.: 01-2120752383-55-xx	2-phenoxyethyl methacrylate Repr. 2, H361d; Aquatic Chronic 2, H411; Skin Sens. 1A, xx H317	20 - 40%
CAS: 27813-02-1 EINECS: 248-666-3 Index number: 607-125-00-5	methacrylic acid, monoester with propane-1,2-diol Eye Irrit. 2, H319; Skin Sens. 1, H317	≥ 10 - ≤ 30%
CAS: 688-84-6 EINECS: 211-708-6 Index number: 607-134-00-4	2-ethylhexyl methacrylate Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335; Aquatic Chronic 3, H412	≥ 10 - < 20%
CAS: 41637-38-1 EC number: 609-946-4	Ethoxylated Bisphenol-A Dimethacrylate Aquatic Chronic 4, H413	5 - 10%
CAS: 80-15-9 EINECS: 201-254-7 Index number: 617-002-00-8	α,α -dimethylbenzyl hydroperoxide Org. Perox. E, H242; Acute Tox. 3, H331; STOT RE 2, H373; Skin Corr. 1B, H314; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Acute Tox. 4, H312; STOT SE 3, H335; Flam. Liq. 4, H227	
CAS: 98-82-8 EINECS: 202-704-5 Index number: 601-024-00-X	isopropylbenzene Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Acute Tox. 4, H302; STOT SE 3, H335	< 1%
CAS: 119-47-1 EINECS: 204-327-1	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol Repr. 2, H361f; Aquatic Chronic 4, H413	≤ 1%
- The product may contain:		
EINECS: 203-466-5 Index number: 608-003-00-4	ncrylonitrile Flam. Liq. 2, H225; Acute Tox. 3, H301; Acute Tox. 3, H311; A H331; Carc. 1B, H350; Eye Dam. 1, H318; Aquatic Chronic 2 Frit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	cute Tox. 3, 2, H411; Skii
L	1,3-butadiene Flam. Gas 1A, H220; Acute Tox. 2, H330; Muta. 1B, H340; Care Press. Gas (Comp.), H280	c. 1A, H350;
	he wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

- -4.1 Description of first aid measures
- **General information:** Immediately remove any clothing soiled by the product.
- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact:

After contact with skin, wash immediately with plenty of soap and water.

If skin irritation continues, consult a doctor.

- After eye contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

- After swallowing:

Rinse out mouth and then drink plenty of water.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

EU-EN

Printing date 14.12.2020 Version number 1 Revision: 14.12.2020

Trade name: ergo 1923 - Component A ergo 1925

(Contd. of page 3)

SECTION 5: Firefighting measures

-5.1 Extinguishing media

- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

Can form explosive gas-air mixtures.

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

- Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Use respiratory protective device against the effects of fumes/dust/aerosol.

- 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow product to reach sewage system or any water course.

- 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 10 for information on "stability and reactivity".

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

- Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Fumes can combine with air to form an explosive mixture.

-7.2 Conditions for safe storage, including any incompatibilities

- Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidising agents.

- Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well ventilated area.

Protect from heat and direct sunlight.

(Contd. on page 5)

Printing date 14.12.2020 Version number 1 Revision: 14.12.2020

Trade name: ergo 1923 - Component A ergo 1925

(Contd. of page 4)

Protect from frost.

- Maximum storage temperature: 28 °C
- Storage class (TRGS 510, Storage of hazardous substances in non-stationary containers): 10-13
- -7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7.

		tes that require monitoring at the workplace:		
_	5-9 α,α -dimethylbenz			
		als Dampf und Aerosol;vgl.Abschn.Xa		
	2-8 isopropylbenzene	tis Dampi und Nerosoi, vgi./Noseim./Xu		
		Short-term value: 250 mg/m³, 50 ppm		
IOLI	` 1	Long-term value: 50 mg/m³, 10 ppm		
		Skin		
AGW	V (Germany)	Long-term value: 50 mg/m³, 10 ppm		
	2	4(II);H, Y, AGS, EU, DFG		
- DNE	CLs			
2781	3-02-1 methacrylic ac	id, monoester with propane-1,2-diol		
Dern	nal Longterm System	4.2 mg/kg bw/day (General population)		
- PNE	Cs			
2781	3-02-1 methacrylic ac	id, monoester with propane-1,2-diol		
Oral	PNEC oral	mg/kg Food (General population)		
		Kein Bioaccumulationspotenzial		
	PNEC Freshwater	0.904 mg/l (General population)		
	PNEC Freshwater sed	6.28 mg/kg (General population)		
	PNEC Marinewater	0.904 mg/l (General population)		
	PNEC Soil	0.727 mg/kg (General population)		
	PNEC STP	10 mg/l (General population)		
	PNEC Marinewater se	d 6.28 mg/kg (General population)		
- Ingr	edients with biologica	l limit values:		
98-82	2-8 isopropylbenzene			
BGW	V (Germany) 10 mg/g l			
	Untersuchungsmaterial: Urin			
		hmezeitpunkt: Expositionsende bzw. Schichtende		
	Paramete	r: 2-Phenyl-2-propanol (nach Hydrolyse)		

- Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

filter A (EN 141)

(Contd. on page 6)

Printing date 14.12.2020 Version number 1 Revision: 14.12.2020

Trade name: ergo 1923 - Component A ergo 1925

(Contd. of page 5)

- Protection of hands:

Protective gloves (EN 374)

Check protective gloves prior to each use for their proper condition.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

Find below a list of appropriate protective gloves for chemical surrounding:

Permeation time / penetration time: = 480 minutes (DIN EN 374):

Naturlatex I , Nr. 0395 oder 0403 Chloropren Nitril II, Nr. 0717

Chloropren Nitril I, Nr. 0727

Nitril I, Nr. 0730, 0732, 0733, 0736, 0737, 0738, 0739 oder 0836

Viton, Nr. 0890 Butyl II, Nr. 0897 Butyl, Nr. 0898

Permeation time / penetration time: = 240 minutes (DIN EN 374):

Nitril VI, Nr. 0754

of KCL company (e-mail: vertrieb@kcl.de).

.

The recommendation is based exclusively on the chemical compatibility and the test according to EN374 under laboratory conditions.

Requirements can vary according to the use. Therefore, please always take into account the glove supplier's recommendations.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material

Permeation time / penetration time: see above (material of gloves)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Tightly sealed goggles

SECTION 9: Physical and chemical properties

- 9.1 Information on basic phys	sical and chemical properties
- General Information	
- Appearance:	
Form:	Viscous

Colour: Yellow
- Odour: Light
- Odour threshold: Not det

Odour threshold: Not determined.pH-value: Not determined.

- Change in condition

Melting point/freezing point: Undetermined. **Initial boiling point and boiling range:** Undetermined.

- Flash point: 101 °C

- Flammability (solid, gas): Not applicable.

- **Decomposition temperature:** Not determined.

(Contd. on page 7)

Printing date 14.12.2020 Version number 1 Revision: 14.12.2020

Trade name: ergo 1923 - Component A ergo 1925

	(Contd. of page 6
- Auto-ignition temperature:	Product is not self-igniting.
- Explosive properties:	Product does not present an explosion hazard.
- Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
- Oxidising properties	Not determined.
- Vapour pressure:	Not determined.
- Density at 20 °C:	1 g/cm ³
- Relative density	Not determined.
- Vapour density	Not determined.
- Evaporation rate	Not determined.
- Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
- Partition coefficient: n-octanol/water:	Not determined.
- Viscosity:	
Dynamic at 25 °C:	20 000 mPas
Kinematic:	Not determined.
- 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Protect from heat and direct sunlight.

- 10.3 Possibility of hazardous reactions

Reacts with peroxides and other radical forming substances.

Reacts with strong alkali.

Reacts with strong acids.

Reacts with amines.

Forms explosive gas mixture with air.

Exothermic polymerisation.

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

No dangerous products of decomposition if used and stored according to specifications.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity

Harmful if inhaled.

- LD/LC50	- LD/LC50 values relevant for classification:				
10595-06-	10595-06-9 2-phenoxyethyl methacrylate				
Oral	Oral LD50 5050 mg/kg (Rat, male/female)				
80-15-9 α,	80-15-9 α,α -dimethylbenzyl hydroperoxide				
Oral	LD50	382 mg/kg (Rat, male/female)			
Dermal	LD50	500 mg/kg (Rat, male/female)			

(Contd. on page 8)

Printing date 14.12.2020 Version number 1 Revision: 14.12.2020

Trade name: ergo 1923 - Component A ergo 1925

			(Contd. of page 7)
	Inhalative	LC50/4 h	0.5 mg/l (Rat, male/female)
	98-82-8 is	opropylbe	nzene
	Oral	LD50	1400 mg/kg (Rat, male/female)
İ	Dermal	LD50	10600 - 12300 mg/kg (rbt)
	Inhalative	LC50/4 h	24.7 mg/l (mus)

- Primary irritant effect:
- Skin corrosion/irritation

Causes skin irritation.

- Serious eye damage/irritation

Causes serious eye damage.

- Respiratory or skin sensitisation

May cause an allergic skin reaction.

- Additional toxicological information:

No experimentally found toxicological data are available for this preparation.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity

Suspected of damaging the unborn child.

- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- Toxicity to fish:

98-82-8 isopropylbenzene

LC50/96 h 2.7 - 6.32 mg/l

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- Remark: Harmful to fish
- Additional ecological information:
- General notes:

Harmful to aquatic organisms

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Danger to drinking water if even small quantities leak into the ground.

Do not allow product to reach ground water, water course or undiluted sewage system.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- **Recommendation** Disposal must be made according to official regulations.

(Contd. on page 9)

Printing date 14.12.2020 Version number 1 Revision: 14.12.2020

Trade name: ergo 1923 - Component A ergo 1925

(Contd. of page 8)

- Uncleaned packaging:- Recommendation: Disposal must be made according to official regulations.

- 14.1 UN-Number - ADR, IMDG, IATA	UN3082	
- 14.2 UN proper shipping name - ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-phenoxyethy	
- IMDG	methacrylate) ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (2-phenoxyethyl methacrylate) MARINE POLLUTANT	
- IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (2-phenoxyethyl methacrylate)	
- 14.3 Transport hazard class(es)		
- ADR		
- Class - Label	9 (M6) Miscellaneous dangerous substances and articles.	
- Class	9 Miscellaneous dangerous substances and articles.	
- Label	9	
- 14.4 Packing group - ADR, IMDG, IATA	Ш	
- 14.5 Environmental hazards:	Product contains environmentally hazardous substances 2-phenoxyethyl methacrylate	
- Marine pollutant:	Symbol (fish and tree)	
- Special marking (ADR): - Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)	
- 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances an articles.	
- Hazard identification number (Kemler code): - EMS Number: - Stowage Category	90 F-A,S-F A	
- 14.7 Transport in bulk according to Annex II o		
Marpol and the IBC Code	Not applicable.	
- Transport/Additional information:	ADR: SV375 IMDG-Code: 2.10.2.7	
	IATA-DGR: A197 (375)	

(Contd. on page 10)

Printing date 14.12.2020 Version number 1 Revision: 14.12.2020

Trade name: ergo 1923 - Component A ergo 1925

(Contd. of page 9)

- ADR

- Limited quantities (LQ)- Excepted quantities (EQ)

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

- Transport category - Tunnel restriction code

3

5L Code: E1

- Remarks:

SV375:

These substances are not subject to the other provisions of ADR / RID if they are transported in individual or composite packaging with a net quantity of no more than 5 l of liquid substances or a net mass of no more than 5 kg of solids per individual or inner packaging, provided that the packaging is used correspond to the general provisions of subsections 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

- IMDG

- Remarks:

- Limited quantities (LQ) 5L - Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

2.10.2.7:

Marine pollutants in individual packaging or composite packaging with a net quantity per individual or inner packaging of no more than 5 L for liquids or a net mass per individual or inner packaging of no more than 5 kg for solids are not subject to any other provisions of this Code applicable to marine pollutants, provided that the packaging complies with the general Meet the requirements in 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8. In the case of marine pollutants that also meet the criteria for inclusion in another class, all provisions of this Code that apply to any further hazards continue to apply.

- IATA

- **Remarks:** A 197 (375):

These substances when transported in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass of 5 kg or less for solids, are not subject to any other provisions of these Regulations provided the packagings meet the general provisions of 5.0.2.4.1,

5.0.2.6.1.1 and 5.0.2.8.

- UN "Model Regulation":

UN 3082 ENVIRONMENTALLY HAZARDOUS

SUBSTANCE, LIQUID, N.O.S. (2-PHENOXYETHYL

METHACRYLATE), 9, III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Chemical safety assessment
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

(Contd. on page 11)

Printing date 14.12.2020 Version number 1 Revision: 14.12.2020

Trade name: ergo 1923 - Component A ergo 1925

(Contd. of page 10)

- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- National regulations:
- Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases

- H220 Extremely flammable gas.
- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H227 Combustible liquid.
- H242 Heating may cause a fire.
- H280 Contains gas under pressure; may explode if heated.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H311 Toxic in contact with skin.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H335 May cause respiratory irritation.
- H340 May cause genetic defects.
- H350 May cause cancer.
- H361d Suspected of damaging the unborn child.
- H361f Suspected of damaging fertility.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- H413 May cause long lasting harmful effects to aquatic life.

- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids - Category 3

Flam. Liq. 4: Flammable liquids – Category 4

Org. Perox. E: Organic peroxides – Type E/F Acute Tox. 4: Acute toxicity - oral – Category 4

Acute Tox. 3: Acute toxicity - inhalation – Category 3

(Contd. on page 12)

(Contd. of page 11)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.12.2020 Version number 1 Revision: 14.12.2020

Trade name: ergo 1923 - Component A ergo 1925

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Repr. 2: Reproductive toxicity - Category 2

Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4

- * Data compared to the previous version altered.

EU-EN



Page 1/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.12.2020 Version number 1 Revision: 14.12.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: ergo 1924 Component B ergo 1925
- 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- Application of the substance / the mixture Adhesives
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Kisling AG

Motorenstrasse 102

CH-8620 Wetzikon

Tel: +41- 58-272 0 272

- Only representative (REACH) and importer (CLP):

Kisling Deutschland GmbH

Salzstraße 15

D-74676 Niedernhall

Tel +49 8171 99982 30

- Further information obtainable from: ergo@kisling.com
- Department issuing MSDS: ergo@kisling.com
- 1.4 Emergency telephone number: +49-700-24 112 112 (KAR)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Repr. 2 H361d Suspected of damaging the unborn child.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms









GHS05 GHS07 GHS08

- Signal word Danger

- Hazard-determining components of labelling:

2-phenoxyethyl methacrylate

2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, phosphate methacrylic acid, monoester with propane-1,2-diol

2-ethylhexyl methacrylate

- Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

(Contd. on page 2)

Printing date 14.12.2020 Version number 1 Revision: 14.12.2020

Trade name: ergo 1924 - Component B ergo 1925

(Contd. of page 1)

H361d Suspected of damaging the unborn child.

H411 Toxic to aquatic life with long lasting effects.

- Precautionary statements

P261 Avoid breathing mist/vapours/spray. P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- Additional information:

10-30 percent of the mixture consists of one or more ingredients of unknown acute oral toxicity.

10-30 percent of the mixture consists of one or more ingredients of unknown acute dermal toxicity.

50-70 percent of the mixture consists of one or more components of unknown acute inhalation toxicity.

Contains 10-30 % of components with unknown hazards to the aquatic environment.

- Labelling of packages where the contents do not exceed 125 ml

- Hazard pictograms









GHS05 GHS07 GHS08 GHS09

- Signal word Danger

- Hazard-determining components of labelling:

2-phenoxyethyl methacrylate

2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, phosphate methacrylic acid, monoester with propane-1,2-diol

2-ethylhexyl methacrylate

- Hazard statements

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H361d Suspected of damaging the unborn child.

- Precautionary statements

P261 Avoid breathing mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- 2.3 Other hazards

- Results of PBT and vPvB assessment

- **PBT:** Not applicable. - **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures

Description: Adhesive

- Description. Addresive		
- Dangerous components:		
	2-phenoxyethyl methacrylate Repr. 2, H361d; Aquatic Chronic 2, H411; Skin Sens. 1A, H317	20 - 40%

(Contd. on page 3)

Printing date 14.12.2020 Version number 1 Revision: 14.12.2020

Trade name: ergo 1924 - Component B ergo 1925

		(Contd. of page
CAS: 27813-02-1 EINECS: 248-666-3 Index number: 607-125-00-5	methacrylic acid, monoester with propane-1,2-diol Eye Irrit. 2, H319; Skin Sens. 1, H317	≥ 10 - ≤ 30%
CAS: 688-84-6 EINECS: 211-708-6 Index number: 607-134-00-4	2-ethylhexyl methacrylate Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335; Aquatic Chronic 3, H412	≥ 10 - < 20%
CAS: 41637-38-1 EC number: 609-946-4	Ethoxylated Bisphenol-A Dimethacrylate Aquatic Chronic 4, H413	> 1 - ≤ 15%
CAS: 52628-03-2 EINECS: 258-053-2	2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, phosphate Eye Dam. 1, H318; Skin Irrit. 2, H315	< 5%
CAS: 92-84-2 EINECS: 202-196-5	phenothiazine STOT RE 2, H373; Acute Tox. 4, H302; Skin Sens. 1, H317; Aquatic Chronic 3, H412	≥ 0.1 - < 1%
CAS: 150-76-5 EINECS: 205-769-8 Index number: 604-044-00-7	mequinol Repr. 2, H361d; Acute Tox. 4, H302; Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412	≥ 0.1 - < 1%
CAS: 868-77-9 EINECS: 212-782-2 Index number: 607-124-00-X Reg.nr.: 01-2119490169-29-x	2-hydroxyethyl methacrylate Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	≥ 0.1 - < 1%
- The product may contain:		
EINECS: 203-466-5 Index number: 608-003-00-4	acrylonitrile Flam. Liq. 2, H225; Acute Tox. 3, H301; Acute Tox. 3, H311; A H331; Carc. 1B, H350; Eye Dam. 1, H318; Aquatic Chronic 2 Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	
CAS: 106-99-0 EINECS: 203-450-8 Index number: 601-013-00-X	1,3-butadiene Flam. Gas 1A, H220; Acute Tox. 2, H330; Muta. 1B, H340; Car Press. Gas (Comp.). H280	c. 1A, H350;

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact:

After contact with skin, wash immediately with plenty of soap and water.

If skin irritation continues, consult a doctor.

- After eye contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

- After swallowing:

Rinse out mouth and then drink plenty of water.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

- EU-EI

Printing date 14.12.2020 Version number 1 Revision: 14.12.2020

Trade name: ergo 1924 - Component B ergo 1925

(Contd. of page 3)

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

- Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Use respiratory protective device against the effects of fumes/dust/aerosol.

- 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow product to reach sewage system or any water course.

- 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 10 for information on "stability and reactivity".

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

- Information about fire and explosion protection: No special measures required.
- -7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

- Storage class (TRGS 510, Storage of hazardous substances in non-stationary containers): 10-13
- -7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 5)

Printing date 14.12.2020 Version number 1 Revision: 14.12.2020

Trade name: ergo 1924 - Component B ergo 1925

	(Contd. of page 4)			
- Ingredients with limit values that require monitoring at the workplace:				
92-84-2 phenothiazine				
MAK (Germany) vgl.Abschn	.IIb und Xc			
868-77-9 2-hydroxyethyl me	thacrylate			
MAK (Germany) vgl.Abschn	.IIb			
- DNELs				
27813-02-1 methacrylic acid	, monoester with propane-1,2-diol			
Dermal Longterm System 4.2	2 mg/kg bw/day (General population)			
- PNECs				
27813-02-1 methacrylic acid	, monoester with propane-1,2-diol			
Oral PNEC oral	mg/kg Food (General population)			
	Kein Bioaccumulationspotenzial			
PNEC Freshwater	0.904 mg/l (General population)			
PNEC Freshwater sed	6.28 mg/kg (General population)			
PNEC Marinewater	0.904 mg/l (General population)			
PNEC Soil 0.727 mg/kg (General population)				
PNEC STP 10 mg/l (General population)				
PNEC Marinewater sed	6.28 mg/kg (General population)			

- Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

filter A (EN 141)

- Protection of hands:

Protective gloves (EN 374)

Check protective gloves prior to each use for their proper condition.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

Find below a list of appropriate protective gloves for chemical surrounding:

Permeation time / penetration time: = 480 minutes (DIN EN 374):

Naturlatex I , Nr. 0395 oder 0403 Chloropren Nitril II, Nr. 0717

Chloropren Nitril I, Nr. 0727

Viton, Nr. 0890

Butyl II, Nr. 0897

Butyl, Nr. 0898

Permeation time / penetration time: = 240 minutes (DIN EN 374):

Nitril VI, Nr. 0754

of KCL company (e-mail: vertrieb@kcl.de).

(Contd. on page 6)

Printing date 14.12.2020 Version number 1 Revision: 14.12.2020

Trade name: ergo 1924 - Component B ergo 1925

(Contd. of page 5)

The recommendation is based exclusively on the chemical compatibility and the test according to EN374 under laboratory conditions.

Requirements can vary according to the use. Therefore, please always take into account the glove supplier's recommendations.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material

Permeation time / penetration time: see above (material of gloves)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:** Tightly sealed goggles

SECTION 9:	Physical and	chemical	properties

- 9.1 Information on basic physical and c	hemical properties
- General Information	
- Appearance:	
Form:	Viscous
Colour:	Grey
- Odour:	Light
- Odour threshold:	Not determined.
- pH-value:	Not determined.
- Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	: Undetermined.
- Flash point:	101 °C
- Flammability (solid, gas):	Not applicable.
- Decomposition temperature:	Not determined.
- Auto-ignition temperature:	Product is not self-igniting.
- Explosive properties:	Product does not present an explosion hazard.
- Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
- Oxidising properties	Not determined.
- Vapour pressure:	Not determined.
- Density at 20 °C:	1 g/cm ³
- Relative density	Not determined.
- Vapour density	Not determined.
- Evaporation rate	Not determined.
- Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
- Partition coefficient: n-octanol/water:	Not determined.
- Viscosity:	
Dynamic at 25 °C:	20 000 mPas
Kinematic:	Not determined.
	(Contd. on page

- EU-EN

Printing date 14.12.2020 Version number 1 Revision: 14.12.2020

Trade name: ergo 1924 - Component B ergo 1925

(Contd. of page 6)

- 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Protect from heat and direct sunlight.

- 10.3 Possibility of hazardous reactions Exothermic polymerisation.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

No dangerous products of decomposition if used and stored according to specifications.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

	- LD/LC50 values relevant for classification:				
Г	10595-06-9 2-phenoxyethyl methacrylate				
	Oral	LD50	5050 mg/kg (Rat, male/female)		
Г	868-77-9 2-hydroxyethyl methacrylate				
	Oral	LD50	5050 mg/kg (Rat, male/female)		
İ	Dermal	LD50	3000 mg/kg (Rabbit)		

- Primary irritant effect:
- Skin corrosion/irritation

Causes skin irritation.

- Serious eye damage/irritation

Causes serious eye damage.

- Respiratory or skin sensitisation

May cause an allergic skin reaction.

- Additional toxicological information:

No experimentally found toxicological data are available for this preparation.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Repr. 2

- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity

Suspected of damaging the unborn child.

- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- Toxicity to fish:

868-77-9 2-hydroxyethyl methacrylate

LC50/96 h 213 - 242 mg/l (Pimephales promelas)

(Contd. on page 8)

Printing date 14.12.2020 Version number 1 Revision: 14.12.2020

Trade name: ergo 1924 - Component B ergo 1925

(Contd. of page 7)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Danger to drinking water if even small quantities leak into the ground.

Do not allow product to reach ground water, water course or undiluted sewage system.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation Disposal must be made according to official regulations.
- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information - 14.1 UN-Number UN3082 - ADR, IMDG, IATA - 14.2 UN proper shipping name 3082 ENVIRONMENTALLY HAZARDOUS - ADR SUBSTANCE, LIQUID, N.O.S. (2-phenoxyethyl methacrylate) - IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-phenoxyethyl methacrylate), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, - IATA LIQUID, N.O.S. (2-phenoxyethyl methacrylate) - 14.3 Transport hazard class(es) - ADR - Class 9 (M6) Miscellaneous dangerous substances and articles. - Label - IMDG, IATA - Class 9 Miscellaneous dangerous substances and articles. - Label - 14.4 Packing group - ADR, IMDG, IATA Ш

(Contd. on page 9)

Printing date 14.12.2020 Version number 1 Revision: 14.12.2020

Trade name: ergo 1924 - Component B ergo 1925

14.5 Environmental hazards:	Product contains environmentally hazardous substance 2-phenoxyethyl methacrylate
Marine pollutant:	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substances an articles.
Hazard identification number (Kemler code):	90
EMS Number:	F-A,S-F
Stowage Category	A
14.7 Transport in bulk according to Annex II o Marpol and the IBC Code	f Not applicable.
Transport/Additional information:	ADR: SV375
	IMDG-Code: 2.10.2.7
	IATA-DGR: A197 (375)
ADR	
Limited quantities (LQ)	5L Codo F1
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	-
Remarks:	SV375:
	These substances are not subject to the other provisions
	ADR / RID if they are transported in individual composite packaging with a net quantity of no more than
	l of liquid substances or a net mass of no more than 5 k
	of solids per individual or inner packaging, provided th
	the packaging is used correspond to the general provision
	of subsections 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Remarks:	2.10.2.7:
AND T	Marine pollutants in individual packaging or composi
	packaging with a net quantity per individual or inne
	packaging of no more than 5 L for liquids or a net ma
	per individual or inner packaging of no more than 5 kg for
	solids are not subject to any other provisions of this Cocapplicable to marine pollutants, provided that the
	packaging complies with the general Meet the
	requirements in 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.
	the case of marine pollutants that also meet the criteria for
	inclusion in another class, all provisions of this Code th
	apply to any further hazards continue to apply.
IATA	
Remarks:	A 197 (375):
	These substances when transported in single combination packagings containing a net quantity pe
	single or inner packaging of 5 L or less for liquids of
	having a net mass of 5 kg or less for solids, are not subject
	5

Printing date 14.12.2020 Version number 1 Revision: 14.12.2020

Trade name: ergo 1924 - Component B ergo 1925

	(Contd. of page 9)
-	to any other provisions of these Regulations provided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.
- UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-PHENOXYETHYL METHACRYLATE), 9, III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Chemical safety assessment
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- National regulations:
- Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases

- H220 Extremely flammable gas.
- H225 Highly flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H335 May cause respiratory irritation.
- H340 May cause genetic defects.
- H350 May cause cancer.
- H361d Suspected of damaging the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- H413 May cause long lasting harmful effects to aquatic life.

- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

(Contd. on page 11)

(Contd. of page 10)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.12.2020 Version number 1 Revision: 14.12.2020

Trade name: ergo 1924 - Component B ergo 1925

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - oral - Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Repr. 2: Reproductive toxicity - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4

- * Data compared to the previous version altered.

EU-EN