

Page 1/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.03.2021 Version number 3 Revision: 02.03.2021

*

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: ergo 4050
- 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- Application of the substance / the mixture Adhesives
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Kisling AG

Motorenstrasse 102

CH-8620 Wetzikon

Tel: +41- 58-272 0 272

- Only representative (REACH) and importer (CLP):

Kisling Deutschland GmbH

Salzstraße 15

D-74676 Niedernhall

Tel +49 8171 99982 30

- Further information obtainable from: ergo@kisling.com
- Department issuing MSDS: ergo@kisling.com
- 1.4 Emergency telephone number: +49-700-24 112 112 (KAR)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 Void
- Hazard pictograms Void
- Signal word Void
- Hazard statements Void
- Labelling of packages where the contents do not exceed 125 ml
- Hazard pictograms Void
- Signal word Void
- Hazard statements Void
- 2.3 Other hazards
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- **Description:** Adhesive
- Dangerous components: Void

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information: Remove any clothing soiled by the product.

(Contd. on page 2)

Printing date 02.03.2021 Version number 3 Revision: 02.03.2021

Trade name: ergo 4050

(Contd. of page 1)

- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: After contact with skin, wash with plenty of soap and water.
- After eye contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

- After swallowing:

Rinse out mouth and then drink plenty of water.

If swallowed, do not induce vomiting: seek medical advice and show this container or label.

- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Nitrogen oxides (NOx)

Carbon monoxide and carbon dioxide

Danger of forming toxic pyrolysis products.

Under certain fire conditions, traces of other toxic gases cannot be excluded.

- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

- Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with the eyes and skin.

- 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow product to reach sewage system or any water course.

- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 10 for information on "stability and reactivity".

See Section 13 for disposal information.

SECTION 7: Handling and storage

- -7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection:

No special precautions are necessary if used and stored according to specifications.

(Contd. on page 3)

Printing date 02.03.2021 Version number 3 Revision: 02.03.2021

Trade name: ergo 4050

(Contd. of page 2)

- -7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

- Storage class (TRGS 510, Storage of hazardous substances in non-stationary containers): 10-13
- -7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- -8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7.
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- Protection of hands:

Protective gloves on prolonged contact with skin.

Check protective gloves prior to each use for their proper condition.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

Find below a list of appropriate protective gloves for chemical surrounding:

Permeation time / penetration time: = 480 minutes (DIN EN 374):

Naturlatex I, Nr. 0395 oder 0403

Chloropren Nitril I, Nr. 0727

Nitril I, Nr. 0730, 0732, 0733, 0736, 0737, 0738, 0739 oder 0836

Viton, Nr. 0890 Butyl II, Nr. 0897

Butyl, Nr. 0898

Permeation time / penetration time: = 240 minutes (DIN EN 374):

Chloropren Nitril II, Nr. 0717

Nitril VI, Nr. 0754

Nitril V, Nr. 0764

of KCL company (e-mail: vertrieb@kcl.de).

The recommendation is based exclusively on the chemical compatibility and the test according to EN374 under laboratory conditions.

Requirements can vary according to the use. Therefore, please always take into account the glove supplier's recommendations.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

Printing date 02.03.2021 Version number 3 Revision: 02.03.2021

Trade name: ergo 4050

(Contd. of page 3)

- Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:** Avoid contact with the eyes.

SECTION 9: Physical and chemical properties

-9.1 Information on basic physical and chemical properties -General Information - Appearance: Form: Fluid Colour: Blue - Odour threshold: Not determined PH-value: Not determined Change in condition Melting point/freezing point: Undetermined Initial boiling point and boiling range: Undetermined Flash point: > 100 °C - Flammability (solid, gas): Not applicable Decomposition temperature: Not determined Auto-ignition temperature: Product is not self-igniting Explosive properties: Product does not present an explosion hazard Explosion limits: Lower: Not determined Upper: Not determined Oxidising properties Not determined Vapour pressure: Not determined Vapour pressure: Not determined Vapour density Not determined Vapour density Not determined Vapour density Not determined Solubility in / Miscibility with water: Not miscible or difficult to mix Partition coefficient: n-octanol/water: Not determined Viscosity: Dynamic at 25 °C: 100 - 250 mPas (Brookfield (2/20)) Kinematic: Not determined.	SECTION 9: Physical and chemi		
- Appearance: Form: Colour: Blue - Odour threshold: Not determined. - PH-value: Not determined. - Change in condition Melting point/freezing point: Initial boiling point and boiling range: Undetermined. - Flash point: - Flash point: - Flash point: - Pecomposition temperature: Not determined. - Auto-ignition temperature: Not determined. - Explosive properties: Product does not present an explosion hazard. - Explosion limits: Lower: Upper: Not determined Oxidising properties Not determined. - Vapour pressure: Not determined Vapour pressure: Not determined Vapour density Not determined Vapour density Not determined. Not determined Solubility in / Miscibility with water: Not miscible or difficult to mix. - Partition coefficient: n-octanol/water: Not determined. - Viscosity: Dynamic at 25 °C: Not determined. Not determined. Not determined. Not determined Viscosity: Dynamic at 25 °C: Not determined. Not determined. Not determined.	- 9.1 Information on basic physical and chemical properties		
Form: Colour: Blue Odour threshold: Not determined. - PH-value: Not determined. - Change in condition Melting point/freezing point: Initial boiling point and boiling range: Undetermined. - Flash point: - Flammability (solid, gas): Not applicable. - Decomposition temperature: Not determined. - Auto-ignition temperature: Product is not self-igniting. - Explosive properties: Product does not present an explosion hazard. - Explosion limits: Lower: Not determined Oxidising properties Not determined Oxidising properties Not determined. - Vapour pressure: Not determined. - Vapour pressure: Not determined. - Vapour density Rot determined Vapour density Not determined Solubility in / Miscibility with water: Not miscible or difficult to mix. - Partition coefficient: n-octanol/water: Not determined. - Viscosity: Dynamic at 25 °C: Not determined. Not determined. Not determined.			
Colour: Odour threshold: Not determined. - PH-value: Not determined. - Change in condition Melting point/freezing point: Initial boiling point and boiling range: Undetermined. - Flash point: - Flash point: - Partition coefficient: n-octanol/water: - Not determined. - Viscosity: Dynamic at 25 °C: Kinematic: Not determined. Not determined.		Fluid	
- Odour:			
- Odour threshold: Not determined. - pH-value: Not determined. - Change in condition Melting point/freezing point: Undetermined. Initial boiling point and boiling range: Undetermined. - Flash point: > 100 °C - Flammability (solid, gas): Not applicable. - Decomposition temperature: Not determined. - Auto-ignition temperature: Product is not self-igniting. - Explosive properties: Product does not present an explosion hazard. - Explosion limits: Lower: Not determined. Upper: Not determined. - Oxidising properties Not determined. - Vapour pressure: Not determined. - Density at 20 °C: 1.12 g/cm³ - Relative density Not determined. - Vapour density Not determined. - Vapour density Not determined. - Solubility in / Miscibility with water: Not miscible or difficult to mix. - Partition coefficient: n-octanol/water: Not determined. - Viscosity: Dynamic at 25 °C: 100 - 250 mPas (Brookfield (2/20)) - Kinematic: Not determined.			
- pH-value: Not determined. - Change in condition Melting point/freezing point: Undetermined. Initial boiling point and boiling range: Undetermined. - Flash point: > 100 °C - Flammability (solid, gas): Not applicable. - Decomposition temperature: Not determined. - Auto-ignition temperature: Product is not self-igniting. - Explosive properties: Product does not present an explosion hazard. - Explosion limits: Lower: Not determined.			
Change in condition Melting point/freezing point: Initial boiling point and boiling range: Undetermined. -Flash point: -Flash point: -Decomposition temperature: Not determined. -Auto-ignition temperature: Product is not self-igniting. -Explosive properties: Product does not present an explosion hazard. -Explosion limits: Lower: Not determined. Upper: Not determined. -Oxidising properties Not determined. -Vapour pressure: Not determined. -Upensity at 20 °C: Relative density Not determined. -Vapour density Not determined. -Vapour density Not determined. -Vapour density Not determined. -Solubility in / Miscibility with water: Not miscible or difficult to mix. -Partition coefficient: n-octanol/water: Not determined. -Viscosity: Dynamic at 25 °C: Not determined. Not determined.			
Melting point/freezing point: Initial boiling point and boiling range: Undetermined. - Flash point: - Flash point: - Flammability (solid, gas): Not applicable. - Decomposition temperature: Not determined. - Auto-ignition temperature: Product is not self-igniting Explosive properties: Product does not present an explosion hazard. - Explosion limits: Lower: Not determined. Upper: Not determined Oxidising properties Not determined. - Vapour pressure: Not determined Density at 20 °C: Relative density Not determined Vapour density Not determined Vapour density Not determined Solubility in / Miscibility with water: Not miscible or difficult to mix. - Partition coefficient: n-octanol/water: Not determined Viscosity: Dynamic at 25 °C: Kinematic: Not determined.		Not determined.	
Initial boiling point and boiling range: Undetermined. -Flash point: > 100 °C -Flammability (solid, gas): Not applicable. -Decomposition temperature: Not determined. - Auto-ignition temperature: Product is not self-igniting. - Explosive properties: Product does not present an explosion hazard. - Explosion limits: Lower: Not determined. - Upper: Not determined. - Oxidising properties Not determined. - Vapour pressure: Not determined. - Uppers Not determined. - Vapour pressure: Not determined. - Vapour pressure: Not determined. - Density at 20 °C: 1.12 g/cm³ - Relative density Not determined. - Vapour density Not determined. - Vapour density Not determined. - Solubility in / Miscibility with water: Not miscible or difficult to mix. - Partition coefficient: n-octanol/water: Not determined. - Viscosity: Dynamic at 25 °C: 100 - 250 mPas (Brookfield (2/20)) - Kinematic: Not determined.			
- Flash point: > 100 °C - Flammability (solid, gas): Not applicable. - Decomposition temperature: Not determined. - Auto-ignition temperature: Product is not self-igniting. - Explosive properties: Product does not present an explosion hazard. - Explosion limits: Lower: Not determined. Upper: Not determined. - Oxidising properties Not determined. - Vapour pressure: Not determined. - Uppers Not determined. - Vapour pressure: Not determined. - Vapour density Not determined. - Solubility in / Miscibility with water: Not miscible or difficult to mix. - Partition coefficient: n-octanol/water: Not determined. - Viscosity: Dynamic at 25 °C: 100 - 250 mPas (Brookfield (2/20)) Kinematic: Not determined.			
- Flammability (solid, gas): - Decomposition temperature: - Auto-ignition temperature: - Explosive properties: - Explosion limits: - Lower: - Upper: - Oxidising properties: - Vapour pressure: - Not determined. - Upersity at 20 °C: - Relative density - Vapour density - Exploration rate - Solubility in / Miscibility with water: - Partition coefficient: n-octanol/water: - Viscosity: - Dynamic at 25 °C: - 100 - 250 mPas (Brookfield (2/20)) Not determined.	Initial boiling point and boiling range	: Undetermined.	
- Decomposition temperature: - Auto-ignition temperature: - Explosive properties: - Explosion limits: - Lower: - Upper: - Oxidising properties Not determined. - Vapour pressure: - Not determined. - Density at 20 °C: - Relative density - Vapour density - Exporation rate - Solubility in / Miscibility with water: - Partition coefficient: n-octanol/water: Not determined. - Viscosity: - Dynamic at 25 °C: - 100 - 250 mPas (Brookfield (2/20)) Not determined.	- Flash point:	> 100 °C	
- Auto-ignition temperature: Product is not self-igniting. - Explosive properties: Product does not present an explosion hazard. - Explosion limits: Lower: Not determined. Upper: Not determined. - Oxidising properties Not determined. - Vapour pressure: Not determined. - Density at 20 °C: 1.12 g/cm³ - Relative density Not determined. - Vapour density Not determined. - Evaporation rate Not determined. - Solubility in / Miscibility with water: Not miscible or difficult to mix. - Partition coefficient: n-octanol/water: Not determined. - Viscosity: Dynamic at 25 °C: 100 - 250 mPas (Brookfield (2/20)) Kinematic: Not determined.	- Flammability (solid, gas):	Not applicable.	
- Explosive properties: Product does not present an explosion hazard. - Explosion limits: Lower: Not determined. Upper: Not determined. - Oxidising properties Not determined. - Vapour pressure: Not determined. - Density at 20 °C: 1.12 g/cm³ - Relative density Not determined. - Vapour density Not determined. - Evaporation rate Not determined. - Solubility in / Miscibility with water: Not miscible or difficult to mix. - Partition coefficient: n-octanol/water: Not determined. - Viscosity: Dynamic at 25 °C: 100 - 250 mPas (Brookfield (2/20)) Kinematic: Not determined.	- Decomposition temperature:	Not determined.	
- Explosion limits: Lower: Not determined. Upper: Not determined Oxidising properties Not determined. - Vapour pressure: Not determined. - Density at 20 °C: 1.12 g/cm³ Not determined. - Relative density Not determined. - Vapour density Not determined. - Evaporation rate Not determined. - Solubility in / Miscibility with water: Not miscible or difficult to mix. - Partition coefficient: n-octanol/water: Not determined. - Viscosity: Dynamic at 25 °C: 100 - 250 mPas (Brookfield (2/20)) Kinematic: Not determined.	- Auto-ignition temperature:	Product is not self-igniting.	
Lower: Upper: Not determined. - Oxidising properties Not determined. - Vapour pressure: Not determined. - Density at 20 °C: - Relative density Not determined. - Vapour density Not determined. - Evaporation rate Not determined. - Solubility in / Miscibility with water: Not miscible or difficult to mix. - Partition coefficient: n-octanol/water: Not determined. - Viscosity: Dynamic at 25 °C: Not determined. Not determined.	- Explosive properties:	Product does not present an explosion hazard.	
Lower: Not determined. Upper: Not determined Oxidising properties Not determined. - Vapour pressure: Not determined. - Density at 20 °C: 1.12 g/cm³ - Relative density Not determined. - Vapour density Not determined Evaporation rate Not determined. - Solubility in / Miscibility with water: Not miscible or difficult to mix. - Partition coefficient: n-octanol/water: Not determined. - Viscosity: Dynamic at 25 °C: 100 - 250 mPas (Brookfield (2/20)) Kinematic: Not determined.	- Explosion limits:		
- Oxidising properties - Vapour pressure: - Density at 20 °C: - Relative density - Vapour density - Vapour density - Evaporation rate - Solubility in / Miscibility with water: - Partition coefficient: n-octanol/water: - Viscosity: - Dynamic at 25 °C: - Kinematic: Not determined. Not determined. Not miscible or difficult to mix. - Partition (2/20)) - Not determined.	Lower:	Not determined.	
- Vapour pressure: - Density at 20 °C: - Relative density - Vapour density - Vapour density - Evaporation rate - Solubility in / Miscibility with water: - Partition coefficient: n-octanol/water: - Viscosity: - Dynamic at 25 °C: - Kinematic: Not determined. Not determined. Not determined. Not determined.	Upper:	Not determined.	
- Density at 20 °C: - Relative density - Vapour density - Vapour density - Evaporation rate - Solubility in / Miscibility with water: - Partition coefficient: n-octanol/water: Not determined. - Viscosity: Dynamic at 25 °C: Kinematic: 1.12 g/cm³ Not determined. Not determined. Not determined. 1.12 g/cm³ Not determined.	- Oxidising properties	Not determined.	
- Relative density - Vapour density - Vapour density - Evaporation rate - Solubility in / Miscibility with water: Not miscible or difficult to mix. - Partition coefficient: n-octanol/water: Not determined. - Viscosity: Dynamic at 25 °C: Kinematic: Not determined.	- Vapour pressure:	Not determined.	
- Vapour density - Evaporation rate - Solubility in / Miscibility with water: Not miscible or difficult to mix. - Partition coefficient: n-octanol/water: Not determined. - Viscosity: Dynamic at 25 °C: Kinematic: Not determined.	- Density at 20 °C:	1.12 g/cm³	
- Evaporation rate Not determined. - Solubility in / Miscibility with water: Not miscible or difficult to mix. - Partition coefficient: n-octanol/water: Not determined. - Viscosity: Dynamic at 25 °C: 100 - 250 mPas (Brookfield (2/20)) Kinematic: Not determined.	- Relative density	Not determined.	
- Solubility in / Miscibility with water: Not miscible or difficult to mix. - Partition coefficient: n-octanol/water: Not determined. - Viscosity: Dynamic at 25 °C: Kinematic: 100 - 250 mPas (Brookfield (2/20)) Not determined.	- Vapour density	Not determined.	
water: Not miscible or difficult to mix. - Partition coefficient: n-octanol/water: Not determined. - Viscosity: Dynamic at 25 °C: 100 - 250 mPas (Brookfield (2/20)) Kinematic: Not determined.	- Evaporation rate	Not determined.	
- Partition coefficient: n-octanol/water: Not determined. - Viscosity: Dynamic at 25 °C: 100 - 250 mPas (Brookfield (2/20)) Kinematic: Not determined.	- Solubility in / Miscibility with		
- Viscosity: Dynamic at 25 °C: Kinematic: 100 - 250 mPas (Brookfield (2/20)) Not determined.	water:	Not miscible or difficult to mix.	
Dynamic at 25 °C: 100 - 250 mPas (Brookfield (2/20)) Kinematic: Not determined.	- Partition coefficient: n-octanol/water:	Not determined.	
Dynamic at 25 °C: 100 - 250 mPas (Brookfield (2/20)) Kinematic: Not determined.	- Viscosity:		
Kinematic: Not determined.		100 - 250 mPas (Brookfield (2/20))	
- 9.2 Other information No further relevant information available.			
	- 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Protect from heat and direct sunlight.

- 10.3 Possibility of hazardous reactions Reacts with metal-salts.

(Contd. on page 5)

Printing date 02.03.2021 Version number 3 Revision: 02.03.2021

Trade name: ergo 4050

(Contd. of page 4)

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

No dangerous products of decomposition if used and stored according to specifications.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- Skin corrosion/irritation Repeated exposure may cause skin dryness or cracking.
- Serious eye damage/irritation Slight irritant effect possible.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Additional toxicological information:
- No experimentally found toxicological data are available for this preparation.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Danger to drinking water if even small quantities leak into the ground.

Do not allow product to reach ground water, water course or undiluted sewage system.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB**: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation Disposal must be made according to official regulations.

	- Europea	pean waste catalogue	
		WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS	
ſ	08 04 00 wastes from MFSU of adhesives and sealants (including waterproofing products)		
	08 04 10	08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09	

(Contd. on page 6)

Printing date 02.03.2021 Version number 3 Revision: 02.03.2021

Trade name: ergo 4050

(Contd. of page 5)

- Uncleaned packaging:

- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

- 14.1 UN-Number - ADR, IMDG, IATA	Void	
- 14.2 UN proper shipping name- ADR, IMDG, IATA	Void	
- 14.3 Transport hazard class(es)		
- ADR, ADN, IMDG, IATA - Class	Void	
- 14.4 Packing group - ADR, IMDG, IATA	Void	
- 14.5 Environmental hazards:	Not applicable.	
- 14.6 Special precautions for user	Not applicable.	
- 14.7 Transport in bulk according to Anne Marpol and the IBC Code	ex II of Not applicable.	
- UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Chemical safety assessment
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- **REGULATION** (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

- Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

- National regulations:
- Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 7)

Version number 3 Printing date 02.03.2021 Revision: 02.03.2021

Trade name: ergo 4050

CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

- * Data compared to the previous version altered.

(Contd. of page 6)

- EU-EN -