

Page 1/6

# Safety data sheet

# according to 1907/2006/EC, Article 31

Printing date 16.09.2017	Version number 1	Revision: 16.09.2017
SECTION 1: Identifica	ation of the substance/mixture and	l of the company/undertaking
- 1.1 Product identifier		
<ul> <li>Trade name: ergo 4202</li> <li>1.2 Relevant identified uses No further relevant informati</li> <li>Application of the substance</li> </ul>		vised against
<ul> <li>- 1.3 Details of the supplier o</li> <li>- Manufacturer/Supplier: Kisling AG Motorenstrasse 102 CH-8620 Wetzikon Telefon: +41-(0) 58-272 0 27</li> </ul>	-	Telefax: +41-(0) 58-272 0 273
	able from: Safety Department	
- Department issuing MSDS: - 1.4 Emergency telephone n	umber: Tox Info Suisse: 145 / +41-44-2 51	51 51
- 1.4 Emergency telephone m SECTION 2: Hazards	umber: Tox Info Suisse: 145 / +41-44-2 51 identification	51 51
<ul> <li>- 1.4 Emergency telephone m</li> <li>SECTION 2: Hazards</li> <li>- 2.1 Classification of the sub</li> <li>- Classification according to</li> </ul>	umber: Tox Info Suisse: 145 / +41-44-2 51 identification	51 51
<ul> <li>- 1.4 Emergency telephone magnetic sector of the sub</li> <li>- 2.1 Classification of the sub</li> <li>- Classification according to The product is not classified</li> <li>- 2.2 Label elements</li> </ul>	umber: Tox Info Suisse: 145 / +41-44-2 51 identification ostance or mixture Regulation (EC) No 1272/2008	51 51
<ul> <li>- 1.4 Emergency telephone maintenance</li> <li>SECTION 2: Hazards</li> <li>- 2.1 Classification of the sub</li> <li>- Classification according to The product is not classified</li> <li>- 2.2 Label elements</li> <li>- Labelling according to Reg</li> <li>- Hazard pictograms Void</li> <li>- Signal word Void</li> <li>- Labelling of packages wher</li> <li>- Hazard pictograms Void</li> <li>- Signal word Void</li> <li>- Labelling of packages wher</li> <li>- Hazard pictograms Void</li> <li>- Signal word Void</li> </ul>	umber: Tox Info Suisse: 145 / +41-44-2 51 identification ostance or mixture Regulation (EC) No 1272/2008 according to the CLP regulation.	51 51
<ul> <li>- 1.4 Emergency telephone maintenance</li> <li>SECTION 2: Hazards</li> <li>- 2.1 Classification of the sub</li> <li>- Classification according to The product is not classified</li> <li>- 2.2 Label elements</li> <li>- Labelling according to Reg</li> <li>- Hazard pictograms Void</li> <li>- Signal word Void</li> <li>- Hazard statements Void</li> <li>- Labelling of packages wher</li> <li>- Hazard pictograms Void</li> </ul>	umber: Tox Info Suisse: 145 / +41-44-2 51 identification ostance or mixture Regulation (EC) No 1272/2008 according to the CLP regulation. ulation (EC) No 1272/2008 Void re the contents do not exceed 125 ml	51 51

#### - 3.2 Mixtures

- Description: Adhesive

#### **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- General information: Remove any clothing soiled by the product.
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: After contact with skin, wash with plenty of soap and water.
- After eye contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

(Contd. on page 2) CHGEN

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.09.2017

Version number 1

Revision: 16.09.2017

Trade name: ergo 4202

(Contd. of page 1
- After swallowing:
Rinse out mouth and then drink plenty of water.
If swallowed, do not induce vomiting: seek medical advice and show this container or label. - <b>4.2 Most important symptoms and effects, both acute and delayed</b>
No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
No further relevant information available.
SECTION 5: Firefighting measures
- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture
Formation of toxic gases is possible during heating or in case of fire.
In case of fire, the following can be released:
Nitrogen oxides (NOx)
Carbon monoxide and carbon dioxide
Danger of forming toxic pyrolysis products.
Under certain fire conditions, traces of other toxic gases cannot be excluded.
- 5.3 Advice for firefighters
- Protective equipment:
Wear self-contained respiratory protective device.
Do not inhale explosion gases or combustion gases.
- Additional information
Cool endangered receptacles with water spray.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
SECTION 6: Accidental release measures
- 6.1 Personal precautions, protective equipment and emergency procedures
Avoid contact with the eyes and skin.
- 6.2 Environmental precautions:
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow product to reach sewage system or any water course.
- 6.3 Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose of the material collected according to regulations.
- 6.4 Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 10 for information on "stability and reactivity".
See Section 13 for disposal information.
Section 13 for disposal information. SECTION 7: Handling and storage

-7.1 Precautions for safe handling No special precautions are necessary if used correctly.

- Information about fire - and explosion protection:

No special precautions are necessary if used and stored according to specifications.

-7.2 Conditions for safe storage, including any incompatibilities

- Storage:

- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

- Information about storage in one common storage facility: Not required.

- Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

(Contd. on page 3)

<sup>-</sup> CHGEN -

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.09.2017

Version number 1

Revision: 16.09.2017

Trade name: ergo 4202

(Contd. of page 2 Storage class (TRGS 510, Storage of hazardous substances in non-stationary containers): 10-13 7.3 Specific end use(s) No further relevant information available.				
SECTION 8: Ex	posure controls/personal protection			
- Additional informat	tion about design of technical facilities: No further data; see item 7.			
	<b>ters</b> <b>nit values that require monitoring at the workplace:</b> t contain any relevant quantities of materials with critical values that have to be monitored			
- Additional informat	tion: The lists valid during the making were used as basis.			
The usual precaution - <b>Protection of hands</b> Protective gloves on Check protective glo The glove material h Selection of the glove - <b>Material of gloves</b> Find below a list of a	equipment: and hygienic measures: ary measures are to be adhered to when handling chemicals. : prolonged contact with skin. ves prior to each use for their proper condition. as to be impermeable and resistant to the product/ the substance/ the preparation. e material on consideration of the penetration times, rates of diffusion and the degradation ppropriate protective gloves for chemical surrounding:			
Naturlatex I , Nr. 039 Chloropren Nitril I, N				
Permeation time / per Chloropren Nitril II, Nitril VI, Nr. 0754 Nitril V, Nr. 0764	netration time: = 240 minutes (DIN EN 374): Nr. 0717			
of KCL company (e-	mail: vertrieb@kcl.de).			
under laboratory con Requirements can va recommendations. The selection of the and varies from man resistance of the glov application.	ary according to the use. Therefore, please always take into account the glove supplier's suitable gloves does not only depend on the material, but also on further marks of quality nufacturer to manufacturer. As the product is a preparation of several substances, the we material can not be calculated in advance and has therefore to be checked prior to the			
	<b>glove material</b> netration time: see above (material of gloves) igh time has to be found out by the manufacturer of the protective gloves and has to be			

- Eye protection: Avoid contact with the eyes.

(Contd. on page 4)

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.09.2017

Version number 1

Revision: 16.09.2017

(Contd. of page 3)

Trade name: ergo 4202

SECTION 9: Physical and chemi	cal properties
- 9.1 Information on basic physical and c - General Information	hemical properties
- Appearance:	
Form:	Fluid
Colour:	Brown
- Odour:	Mild
- Odour threshold:	Not determined.
- pH-value:	Not determined.
- Change in condition Melting point/freezing point: Initial boiling point and boiling range	Undetermined. : Undetermined.
- Flash point:	> 100 °C
- Flammability (solid, gas):	Not applicable.
- Ignition temperature:	
Decomposition temperature:	Not determined.
- Auto-ignition temperature:	Product is not self-igniting.
- Explosive properties:	Product does not present an explosion hazard.
- Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
- Vapour pressure:	Not determined.
- Density at 25 °C:	1,05 g/cm <sup>3</sup>
- Relative density	Not determined.
- Vapour density	Not determined.
- Evaporation rate	Not determined.
- Solubility in / Miscibility with water:	Not miscible or difficult to mix.
- Partition coefficient: n-octanol/water:	Not determined.
- Viscosity: Dynamic at 25 °C: Kinematic: - 9.2 Other information	450 - 700 mPas (Brookfield (2/20)) Not determined. No further relevant information available.

# **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications. Protect from heat and direct sunlight.

- 10.3 Possibility of hazardous reactions Reacts with metal-salts.

- **10.4 Conditions to avoid** No further relevant information available.

- 10.5 Incompatible materials: No further relevant information available.

- 10.6 Hazardous decomposition products:

No dangerous products of decomposition if used and stored according to specifications.

(Contd. on page 5)

CHGEN

Printing date 16.09.2017

Version number 1

Revision: 16.09.2017

#### Trade name: ergo 4202

(Contd. of page 4)

# **SECTION 11: Toxicological information**

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- Skin corrosion/irritation Repeated exposure may cause skin dryness or cracking.
- Serious eye damage/irritation Slight irritant effect possible.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Additional toxicological information:
- No experimentally found toxicological data are available for this preparation.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Danger to drinking water if even small quantities leak into the ground.

Do not allow product to reach ground water, water course or undiluted sewage system.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- 13.1 Waste treatment methods
- Recommendation Disposal must be made according to official regulations.

#### - European waste catalogue

08 00 00 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS 08 04 00 wastes from MFSU of adhesives and sealants (including waterproofing products)

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

#### - Uncleaned packaging:

- Recommendation: Disposal must be made according to official regulations.

# **SECTION 14: Transport information**

-14.1 UN-Number - ADR, IMDG, IATA

Void

(Contd. on page 6)

CHGEN

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.09.2017

Version number 1

Revision: 16.09.2017

Trade name: ergo 4202

		(Contd. of page 5)
- 14.2 UN proper shipping name - ADR, IMDG, IATA	Void	
- 14.3 Transport hazard class(es)		
- ADR, ADN, IMDG, IATA - Class	Void	
- 14.4 Packing group - ADR, IMDG, IATA	Void	
- 14.5 Environmental hazards:	Not applicable.	
- 14.6 Special precautions for user	Not applicable.	
- 14.7 Transport in bulk according to An Marpol and the IBC Code	nex II of Not applicable.	
- UN "Model Regulation":	Void	

# **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- National regulations:

- Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

CHGEN