| 18.11.2020 | Kit Components |
|--------------|-----------------------------------|
| Product code | Description |
| 7415-190122 | ergo 7415 |
| Components: | |
| 7413-200407 | ergo 7413 - Component A ergo 7415 |
| 7414-200407 | ergo 7414 - Component B ergo 7415 |



Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.11.2020 Version number 5 Revision: 18.11.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier

- Trade name: ergo 7413 - Component A ergo 7415

- 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- Application of the substance / the mixture

Epoxy resin adhesive

Resin

- 1.3 Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

Kisling AG

Motorenstrasse 102

CH-8620 Wetzikon

Tel: +41-58-272 0 272

- Further information obtainable from: ergo@kisling.com

- Department issuing MSDS: ergo@kisling.com

- 1.4 Emergency telephone number:

Tox Info Suisse: 145 / +41-44-2 51 51 51

+49-700-24 112 112 (KAR)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms





GHS07

07 GHS09

- Signal word Warning

- Hazard-determining components of labelling:

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)

- Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

- Precautionary statements

P261 Avoid breathing vapours.

P280 Wear protective gloves / eye protection. P302+P352 IF ON SKIN: Wash with plenty of water.

(Contd. on page 2)

Printing date 18.11.2020 Version number 5 Revision: 18.11.2020

Trade name: ergo 7413 - Component A ergo 7415

(Contd. of page 1)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

- Additional information:

EUH205 Contains epoxy constituents. May produce an allergic reaction.

- Labelling of packages where the contents do not exceed 125 ml
- Hazard pictograms





GHS07

- Signal word Warning
- Hazard-determining components of labelling:

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)

- Hazard statements

H317 May cause an allergic skin reaction.

- Precautionary statements

P261 Avoid breathing vapours.

P280 Wear protective gloves / eye protection. P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

- 2.3 Other hazards
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- **Description:** Adhesive

| - Dangerous components: | | |
|---|--|---------------|
| CAS: 25068-38-6 NLP: 500-033-5 Index number: 603-074-00-8 Reg.nr.: 01-2119456619-26-xxxx | reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700) Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 | > 50 - ≤ 100% |
| CAS: 2530-83-8 EINECS: 219-784-2 Reg.nr.: 01-2119513212-58-xxxx | [3-(2,3-epoxypropoxy)propyl]trimethoxysilane Eye Dam. 1, H318 | > 1 - < 3% |

- Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact:

After contact with skin, wash immediately with plenty of soap and water.

If skin irritation continues, consult a doctor.

(Contd. on page 3)

Printing date 18.11.2020 Version number 5 Revision: 18.11.2020

Trade name: ergo 7413 - Component A ergo 7415

(Contd. of page 2)

- After eye contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

- After swallowing:

Rinse out mouth and then drink plenty of water.

If swallowed, do not induce vomiting: seek medical advice and show this container or label.

- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media

- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

- Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources.

- 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow product to reach sewage system or any water course.

- 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 10 for information on "stability and reactivity".

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

- Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Contd. on page 4)

Printing date 18.11.2020 Version number 5 Revision: 18.11.2020

Trade name: ergo 7413 - Component A ergo 7415

(Contd. of page 3)

- -7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:

Keep receptacle tightly sealed.

Protect from frost.

- Maximum storage temperature: 40 °C
- Minimum storage temperature: 2 °C
- Storage class (TRGS 510, Storage of hazardous substances in non-stationary containers): 10-13
- -7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7.
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

| | - DNELs | | | | |
|---------------------------|--|-------------------|--------|--------------------------|--|
| Ī | 2530-83-8 [3-(2,3-epoxypropoxy)propyl]trimethoxysilane | | | | |
| ſ | Dermal | nal Acute, System | | 21 mg/kg bw (Worker) | |
| İ | Longterm System Inhalative Acute, System | | System | 21 mg/kg bw/day (Worker) | |
| İ | | | stem | 147 mg/m³ (Worker) | |
| | | Longterm | System | 147 mg/m³ (Worker) | |
| | - PNECs | | | | |
| ſ | 2530-83-8 [3-(2,3-epoxypropoxy)propyl]trimethoxysilane | | | | |
| Ī | PNEC Freshwater 1 mg/l | | | | |
| PNEC Marinewater 0.1 mg/l | | | | | |

- Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Clean skin thoroughly immediately after handling the product.

- Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A/P2

- Protection of hands:

Protective gloves (EN 374)

Check protective gloves prior to each use for their proper condition.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the

(Contd. on page 5)

Printing date 18.11.2020 Version number 5 Revision: 18.11.2020

Trade name: ergo 7413 - Component A ergo 7415

(Contd. of page 4)

resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:** Safety glasses

SECTION 9: Physical and chemical properties

| SECTION 9: Physical and chem | |
|---|---|
| - 9.1 Information on basic physical and c | chemical properties |
| - General Information | |
| - Appearance: | D |
| Form: | Pasty |
| Colour: | White |
| - Odour: | Odourless Not determined. |
| - Odour threshold: | Not determined. |
| - pH-value: | Not determined. |
| - Change in condition | |
| Melting point/freezing point: | Undetermined. |
| Initial boiling point and boiling range | : Undetermined. |
| - Flash point: | Not applicable. |
| - Flammability (solid, gas): | Not applicable. |
| - Decomposition temperature: | Not determined. |
| - Auto-ignition temperature: | Product is not self-igniting. |
| - Explosive properties: | Product does not present an explosion hazard. |
| - Explosion limits: | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| - Oxidising properties | Not determined. |
| - Vapour pressure: | Not determined. |
| - Density at 20 °C: | 1.24 g/cm ³ |
| - Relative density | Not determined. |
| - Vapour density | Not determined. |
| - Evaporation rate | Not determined. |
| - Solubility in / Miscibility with | |
| water: | Not miscible or difficult to mix. |
| - Partition coefficient: n-octanol/water: | Not determined. |
| - Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| - 9.2 Other information | No further relevant information available. |
| | |

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

(Contd. on page 6)

Printing date 18.11.2020 Version number 5 Revision: 18.11.2020

Trade name: ergo 7413 - Component A ergo 7415

(Contd. of page 5)

- 10.3 Possibility of hazardous reactions Reacts with strong oxidising agents.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: Strong acids and strong alkalis.
- 10.6 Hazardous decomposition products:

No dangerous products of decomposition if used and stored according to specifications.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

| - LD/LC | - LD/LC50 values relevant for classification: | | | | | |
|---------|---|--|--|--|--|--|
| 25068-3 | 25068-38-6 reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700) | | | | | |
| Oral | Oral LD50 11,400 mg/kg (Rat, male/female) | | | | | |
| 2530-83 | 2530-83-8 [3-(2,3-epoxypropoxy)propyl]trimethoxysilane | | | | | |
| Oral | LD50 | 8,025 mg/kg (Rat, male/female) (OECD TG 401) | | | | |
| Dermal | Dermal LD50 4,250 mg/kg (Rabbit) (OECD TG 402) | | | | | |

- Primary irritant effect:
- Skin corrosion/irritation

Causes skin irritation.

- Serious eye damage/irritation

Causes serious eye irritation.

- Respiratory or skin sensitisation

May cause an allergic skin reaction.

- Additional toxicological information:

No experimentally found toxicological data are available for this preparation.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- Remark: Toxic for fish
- Additional ecological information:
- General notes:

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Danger to drinking water if even small quantities leak into the ground.

Do not allow product to reach ground water, water course or undiluted sewage system.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.

(Contd. on page 7)

Printing date 18.11.2020 Version number 5 Revision: 18.11.2020

Trade name: ergo 7413 - Component A ergo 7415

- 12.6 Other adverse effects No further relevant information available.

(Contd. of page 6)

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- **Recommendation** Disposal must be made according to official regulations.
- Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

| - 14.1 UN-Number - ADR, IMDG, IATA | UN3082 | |
|---|---|--|
| - 14.2 UN proper shipping name - ADR | 3082 ENVIRONMENTALLY HAZARDOU SUBSTANCE, LIQUID, N.O.S. (reaction product bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)) | |
| - IMDG | ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (reaction product: bisphenol-A (epichlorhydrin) epoxy resin (number average molecula weight ≤ 700)), MARINE POLLUTANT | |
| - IATA | ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (reaction product: bisphenol-A (epichlorhydrin) epoxy resin (number average molecula weight ≤ 700)) | |
| - 14.3 Transport hazard class(es) | | |
| - ADR | | |
| | | |
| - Class - Label | 9 (M6) Miscellaneous dangerous substances and articles 9 | |
| - IMDG, IATA | | |
| | | |
| - Class - Label | 9 Miscellaneous dangerous substances and articles.9 | |
| - 14.4 Packing group - ADR, IMDG, IATA | Ш | |
| - 14.5 Environmental hazards: | Product contains environmentally hazardous substance reaction product: bisphenol-A-(epichlorhydrin) epox resin (number average molecular weight ≤ 700) | |
| - Marine pollutant: | Symbol (fish and tree) | |
| - Special marking (ADR): Symbol (fish and tree) | | |
| - Special marking (IATA): | Symbol (fish and tree) | |

(Contd. on page 8)

CHGEN

Printing date 18.11.2020 Version number 5 Revision: 18.11.2020

Trade name: ergo 7413 - Component A ergo 7415

| | (Contd. of page |
|---|--|
| - 14.6 Special precautions for user | Warning: Miscellaneous dangerous substances an articles. |
| - Hazard identification number (Kemler code): | 90 |
| - EMS Number: | F-A,S-F |
| - Stowage Category | A |
| - 14.7 Transport in bulk according to Annex II o Marpol and the IBC Code | f Not applicable. |
| - Transport/Additional information: | ADR: SV375 IMDG-Code: 2.10.2.7 IATA-DGR: A197 (375) |
| - ADR | |
| - Limited quantities (LQ) | 5L |
| - Excepted quantities (EQ) | Code: E1 |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 1000 ml |
| - Transport category | 3 |
| - Tunnel restriction code | - |
| - Remarks: | SV375: |
| | These substances are not subject to the other provisions of |
| | ADR / RID if they are transported in individual of |
| | composite packaging with a net quantity of no more than |
| | 1 of liquid substances or a net mass of no more than 5 k |
| | of solids per individual or inner packaging, provided that |
| | the packaging is used correspond to the general provision |
| | of subsections 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8. |
| - IMDG | |
| - Limited quantities (LQ) | 5L |
| - Excepted quantities (EQ) | Code: E1 |
| (_ Q) | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 1000 ml |
| - Remarks: | 2.10.2.7: |
| | Marine pollutants in individual packaging or composit |
| | packaging with a net quantity per individual or inne |
| | packaging of no more than 5 L for liquids or a net mas |
| | per individual or inner packaging of no more than 5 kg fo |
| | solids are not subject to any other provisions of this Cod |
| | applicable to marine pollutants, provided that th |
| | packaging complies with the general Meet th |
| | requirements in 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8. I |
| | the case of marine pollutants that also meet the criteria fo |
| | inclusion in another class, all provisions of this Code that |
| | apply to any further hazards continue to apply. |
| ፕልጥል | 117 |
| - IATA - Remarks: | A 197 (375): |
| - IXIIIAI NO. | These substances when transported in single of |
| | combination packagings containing a net quantity pe |
| | single or inner packaging of 5 L or less for liquids of |
| | having a net mass of 5 kg or less for solids, are not subject |
| | to any other provisions of these Regulations provided th |
| | to any other provisions of these Regulations provided th |
| | |
| | packagings meet the general provisions of 5.0.2.4.1 |
| | packagings meet the general provisions of 5.0.2.4.1 5.0.2.6.1.1 and 5.0.2.8. |
| - UN ''Model Regulation'': | packagings meet the general provisions of 5.0.2.4.1 |

Printing date 18.11.2020 Version number 5 Revision: 18.11.2020

Trade name: ergo 7413 - Component A ergo 7415

(Contd. of page 8)

PRODUCT: BISPHENOL-A-(EPICHLORHYDRIN) EPOXY RESIN (NUMBER AVERAGE MOLECULAR WEIGHT ≤ 700)), 9, III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Chemical safety assessment
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- National regulations:
- Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

- Reasons for alterations
- Relevant phrases
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H411 Toxic to aquatic life with long lasting effects.
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

- * Data compared to the previous version altered.

CHGEN



Page 1/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.11.2020 Version number 4 Revision: 18.11.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking - 1.1 Product identifier

- Trade name: ergo 7414 - Component B ergo 7415

- 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- Application of the substance / the mixture

Epoxy resin adhesive

Hardening agent / Curing agent

- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Kisling AG

Motorenstrasse 102

CH-8620 Wetzikon

Tel: +41-58-272 0 272

- Further information obtainable from: ergo@kisling.com
- Department issuing MSDS: ergo@kisling.com
- 1.4 Emergency telephone number:

Tox Info Suisse: 145 / +41-44-2 51 51 51

+49-700-24 112 112 (KAR)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms





GHS05

GHS07

- Signal word Danger

- Hazard-determining components of labelling:

Poly[oxy(methyl-1,2-ethanediyl)], α -hydro- ω -hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:

1), 2-hydroxy-3-mercaptopropyl ether

1,3-bis[3-(dimethylamino)propyl]urea

- Hazard statements

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

- Precautionary statements

P261 Avoid breathing vapours.

P280 Wear protective gloves / eye protection. P302+P352 IF ON SKIN: Wash with plenty of water.

(Contd. on page 2)

Printing date 18.11.2020 Version number 4 Revision: 18.11.2020

Trade name: ergo 7414 - Component B ergo 7415

(Contd. of page 1)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

- Labelling of packages where the contents do not exceed 125 ml
- Hazard pictograms





GHS05 GH

- Signal word Danger

- Hazard-determining components of labelling:

Poly[oxy(methyl-1,2-ethanediyl)], α-hydro-ω-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:

1), 2-hydroxy-3-mercaptopropyl ether

1,3-bis[3-(dimethylamino)propyl]urea

- Hazard statements

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

- Precautionary statements

P261 Avoid breathing vapours.

P280 Wear protective gloves / eye protection. P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

- 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- **Description:** Adhesive

| - Dangerous components: | | | |
|-------------------------|---|---------------|--|
| CAS: 72244-98-5 | Poly[oxy(methyl-1,2-ethanediyl)], α-hydro-ω-hydroxy-, ether with | > 50 - ≤ 100% | |
| EC number: 701-196-7 | 01-196-7 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1), 2-hydroxy-3- | | |
| mercaptopropyl ether | | | |
| | Skin Sens. 1B, H317; Aquatic Chronic 3, H412 | | |
| CAS: 52338-87-1 | 1,3-bis[3-(dimethylamino)propyl]urea | ≥ 3 - ≤ 15% | |
| EINECS: 257-861-2 | Eye Dam. 1, H318; Skin Sens. 1, H317; Aquatic Chronic 3, H412 | | |

- Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information: Remove any clothing soiled by the product.
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

(Contd. on page 3)

Printing date 18.11.2020 Version number 4 Revision: 18.11.2020

Trade name: ergo 7414 - Component B ergo 7415

(Contd. of page 2)

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: After contact with skin, wash with plenty of soap and water.

- After eye contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

- After swallowing:

Rinse out mouth and then drink plenty of water.

If swallowed, do not induce vomiting: seek medical advice and show this container or label.

- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

- Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with the eyes and skin.

Ensure adequate ventilation

Keep away from ignition sources.

- 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow product to reach sewage system or any water course.

- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

Ensure adequate ventilation.

- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 10 for information on "stability and reactivity".

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

- Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Contd. on page 4)

Printing date 18.11.2020 Version number 4 Revision: 18.11.2020

Trade name: ergo 7414 - Component B ergo 7415

(Contd. of page 3)

- -7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Provide alkali-resistant floor.

- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Maximum storage temperature: 40 °C
- Minimum storage temperature: 2 °C
- Storage class (TRGS 510, Storage of hazardous substances in non-stationary containers): 10-13
- -7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7.
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

- Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A/P2

- Protection of hands:

Protective gloves (EN 374)

Check protective gloves prior to each use for their proper condition.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Safety glasses

- CHGEN

Printing date 18.11.2020 Version number 4 Revision: 18.11.2020

Trade name: ergo 7414 - Component B ergo 7415

(Contd. of page 4)

| | (Contd. of page |
|---|---|
| SECTION 9: Physical and chem | ical properties |
| - 9.1 Information on basic physical and o | chemical properties |
| - General Information | |
| - Appearance: | |
| Form: | Pasty |
| Colour: | Black |
| - Odour: | Like rotten eggs (mercaptans) |
| - Odour threshold: | Not determined. |
| - pH-value: | Not determined. |
| - Change in condition | |
| Melting point/freezing point: | Undetermined. |
| Initial boiling point and boiling range | e: Undetermined. |
| - Flash point: | Not applicable. |
| - Flammability (solid, gas): | Not applicable. |
| - Decomposition temperature: | Not determined. |
| - Auto-ignition temperature: | Product is not self-igniting. |
| - Explosive properties: | Product does not present an explosion hazard. |
| - Explosion limits: | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| - Oxidising properties | Not determined. |
| - Vapour pressure: | Not determined. |
| - Density at 20 °C: | 1.15 g/cm³ |
| - Relative density | Not determined. |
| - Vapour density | Not determined. |
| - Evaporation rate | Not determined. |
| - Solubility in / Miscibility with | |
| water: | Not miscible or difficult to mix. |
| - Partition coefficient: n-octanol/water: | Not determined. |
| - Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| | |

No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability

- 9.2 Other information

- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- 10.3 Possibility of hazardous reactions

No dangerous reactions if used and stored according to specifications.

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

No dangerous products of decomposition if used and stored according to specifications.

CHCEN

Printing date 18.11.2020 Version number 4 Revision: 18.11.2020

Trade name: ergo 7414 - Component B ergo 7415

(Contd. of page 5)

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation

Causes serious eye damage.

- Respiratory or skin sensitisation

May cause an allergic skin reaction.

- Additional toxicological information:

No experimentally found toxicological data are available for this preparation.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Danger to drinking water if even small quantities leak into the ground.

Do not allow product to reach ground water, water course or undiluted sewage system.

- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation Disposal must be made according to official regulations.
- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

| - 14.1 UN-Number | | |
|-----------------------------------|------|--|
| - ADR, IMDG, IATA | Void | |
| - 14.2 UN proper shipping name | | |
| - ADR, IMDG, IATA | Void | |
| - 14.3 Transport hazard class(es) | | |
| - ADR, ADN, IMDG, IATA | | |
| - Class | Void | |

(Contd. on page 7)

Printing date 18.11.2020 Version number 4 Revision: 18.11.2020

Trade name: ergo 7414 - Component B ergo 7415

| | | (Contd. of page 6) |
|--|---------------------------|--------------------|
| - 14.4 Packing group - ADR, IMDG, IATA | Void | |
| - 14.5 Environmental hazards: | Not applicable. | |
| - 14.6 Special precautions for user | Not applicable. | |
| - 14.7 Transport in bulk according to Ann Marpol and the IBC Code | ex II of Not applicable. | |
| - UN "Model Regulation": | Void | |

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Chemical safety assessment
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- National regulations:
- Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

- Reasons for alterations
- Relevant phrases

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

- * Data compared to the previous version altered.

CHGEN